
Husqvarna chain saws for the full-time professionals.



Husqvarna chain saws for the professionals represent the ultimate in chain saws today.

We know what is demanded of a professional chain saw today. We know the punishment that it must stand up to day after day, in all kinds of weather, in sweltering heat and freezing cold. Carried into rough, impenetrable terrain, over steep slopes and used in precarious positions.

We know what is demanded of a professional chain saw and we make ours to meet those demands. That's why we at Husqvarna go to such great lengths to make chain saws that are easy to use, dependable, easy to service and most important of all, safe to work with.


All the Husqvarna professional chain saws have a superb power-to-weight ratio. They are slender and compact, with smooth sides and no protruding parts. They are reliable, effectively silenced and all of them are fitted with our efficient, built-in vibration damping which makes the work with the saw much less tiresome.


All the models are available with Husqvarna's own automatic chain brake—the Swed-O-Matic.

In short, Husqvarna's professional chain saws are the perfect saws for everyone who has to work with a chain saw all day long. For everyone who needs the most professional chain saw available—Husqvarna.

Husqvarna 133 SE and SG

The Husqvarna 133 is one of the more recent models from our wide range of chain saws intended for professional use. It incorporates the Swed-O-Matic chain brake as standard and with its low weight is easy to wield—perfect for limbing work. But it is powerful enough to fell surprisingly large trees. The sound level of the saw has been reduced to no more than 97 dB(A) at high speed (limbing) according to official Swedish tests and the level of vibration is sensationally low. The 133 SG has electrically-heated handles.





What it is that makes a Husqvarna chain saw.



VIBRATION DAMPING

The engine and tank/handle sections are joined by heavy-duty rubber elements which effectively damp vibration and give our saws extremely low vibration levels.

Effective vibration damping is one of the reasons why using a Husqvarna saw is less tiring and less dangerous.

STYLING

Proper ergonomic design has always been a characteristic of Husqvarna chain saws. The distinctively slender Husqvarna styling makes the saws light and safe to use.

POWER-TO-WEIGHT RATIO

Husqvarna expends considerable effort on achieving as favourable a power-to-weight ratio as possible. A chain saw used for professional work must be powerful and robust but it must not be too heavy and unwieldy for whoever is going to lug it around in the forest all day long.

SWED-O-MATIC—THE AUTOMATIC CHAIN BRAKE

Husqvarna is the only saw manufacturer to offer an automatic chain brake on all saw models.



The Swed-O-Matic is now available in a third version which is triggered automatically by inertia and has a permanently adjusted actuating mechanism.

The Swed-O-Matic is automatic and stops the chain regardless of how the saw is held. It is stopped twice as fast as with manual chain brake. Simultaneously, the kickback angle is reduced to about one-third.

EASE OF SERVICE

It is easy to carry out day-to-day maintenance on Husqvarna saws. It is easy to remove the components that have to be removed for regular care and maintenance.

SILENCING

Husqvarna chain saws have extremely good silencing. An upright cylinder permits a sufficiently large and consequently effective silencer to be mounted at the front of saw. At the same time, Husqvarna has succeeded in suppressing other noise sources so effectively that several saw models have a noise level that is among the lowest on the market.



Technical data.

Model	Cylinder capacity cc (cu.in)	Engine speed at max power rpm	Fuel tank capacity liter (Pint)	Oil tank capacity liter (Pint)	Guide bar Standard	Chain pitch	Weight less bar, chair and chain brake kg (lbs.)
133 SE 133 SG	34 (2.1)	9600	0.5 (1.05)	0.27 (0.57)	13" ~ 32 cm	0.325*	*4.4 (9.7) *4.57 (10.0)
444 SE 444 SG	44 (2.7)	9300	0.5 (1.05)	0.25 (0.53)	13" ~ 32 cm or 15" ~ 38 cm	0.325"	5.1 (11.2) 5.2 (11.4)
266 SE 266 SG	66 (4.0)	8500	0.75 (1.6)	0.4 (0.85)	15" ~ 38 cm or 18" ~ 45 cm	3/8"	5.85 (12.9) 5.9 (13.0)
480 CD	77 (4.7)	8500	0.8 (1.7)	0.5 (1.05)	18" ~ 45 cm	3/8"	7.1 (15.6)
285 CD	85 (5.2)	8500	0.8 (1.7)	0.55 (1.16)	20" ~ 50 cm	3/8"	8.2 (18.0)
2100 CD	99 (6.0)	8500	0.95 (2.0)	0.65 (1.37)	24" ~ 60 cm	0.404"	8.4 (18.5)

Husqvarna
The Chain Saw Professionals.

Weight incl. standard chain brake.

Other models except Husky El have chain brakes as optional extra equipment.