## FIVE WHITE CHAIN SAWS 10 TO 17 IN. BARS





## CHAIN SAW ECONOMICS... WE'LL LIGHT YOUR FIRE

If you have a fireplace, you've more than likely done a "slow burn" after the firewood truck has pulled out of your driveway. It's what we call "the high cost of burning." Burning firewood... that is.

White can change all that for you. With the help of one of our

five high performance chain saws, you can reduce the cost of firewood. Cut your own in your own backyard. White chain saws... four gas and one electric...will cut cord after cord of firewood in addition to making short work of trimming trees and clearing overgrown back lots. And it won't cost you a thing except a Saturday afternoon.

Take your pick. Gas saws from 1.9 to 3.6 cu. in. displacement... plus a 2-hp electric saw. Cutting bars from 10 to 17 inches.

These saws are convenient.
Large diameter pulleys make
for fast, sure starts. (Use

electric.) Automatic chain oiling, featured on all gasoperated saws, keeps the chain

a plug-in for the

For added insurance, a manual oiler is provided on the WM 360. WM 21, WM 19 D, and WM 12 for tough going.

White's isolated fuel tank is away from the heat. The fuel finder guarantees gas delivery at any working angle. Even upside down.

Chain saw housings are made from tough, lightweight magnesium. There's no plastic in them that might wear or fatigue after years of hard use.

With safety in mind, White chain saws won't budge until you pull the trigger that tells them to. At idle, an automatic centrifugal clutch keeps the chain static. Both hands stay in the correct working position during operation, thanks to conveniently placed controls.

erated saws,
eeps the chain
cutting longer.
You'll be surprised how little.
You see, the price is part of our
"anti-high cost of burning" philosophy. The cost of cutting is
low no matter what you're cutting.

See a White dealer for the lightweight chain saws with the heavyweight features. And take time to saw some logs of your own...in the hammock!

(8 inches in 4 seconds.) 2.1 cu. in. displacement. 8.5 lbs. 28-inch cut.

WM 210 Fast cut.

Me

**WM 360** 

3.6 cu. in.

34-in. cut.

Heavy

duty.

WM 19 D Deluxe lightweight 1.9 cu. in. displacement. 24-inch

**WM 19** Real lightweight. (Under 8 lbs.) 1.9 cu. in. displacement. 20-inch cut.

> WM 12 2 hp, 12 amp electric. Double insulated. Superfast cutting.

White's baffled muffler means the saw works quietly, meeting all state and local codes, so it won't annoy you or your neighbors.





Stoodite alloy tipped guide bars mean long life. They're reversible for even more life. Most White chains have chromeplated cutter teeth that hold up over long periods of hard use.



One more reason why White quarantees its saws will work right...chrome-plated cylinder walls and pistons that last longer. White's unique air filtering system (filter opposite the side of the muffler) filters all incoming air. The result is longer engine life.






White's dynamically balanced crankshaft reduces the vibration in the engine. White engines are 100 per cent ball and needle bearing equipped. There are no sleeves or bushings to lose tolerance and performance. Just two more reasons why White saws will work with you right from the very start. And why you get our guarantee of that for one full year.

A White chain saw is more than lightweight. It's also balanced right in the center. Its well balanced design makes work easy, whether it's cutting heavy timber or light tree trimming and pruning.





White's electric chain saw works safely. It's shockproof and it's double insulated. But this 14inch electric is more than just safe. It's also one of the most powerful electric saws on the market.



Whether it's one of our four gas-powered chain saws or the quiet White electric.

Each is built to earn the White name...providing you with outstanding design features that make these saws the performance leaders.

POWER CO., INC.
INDUSTRIAL & FARM EQUIP.
Ph. 753-2111 or 758-2112
Ph. 753-2111 or 758-2112
Bonduel, Wis. 54197

**SPECIFICATIONS** 

Manufacturer reserves the right to change design, materials and/or specifications without notice or obligation.

MODEL	WM 360	WM 21	WM 19 D	WM 19	WM 12
ENGINE TYPE	Two cycle single cylinder air cooled	12 amp, 2-hp electric			
DISPLACEMENT	3.6 cu. in.	2.1 cu.in.	1.9 cu. in.	1.9 cu, in.	
ENGINE WEIGHT (LESS BAR AND CHAIN)	13 lbs. 12 oz.	8 lbs. 8 oz.	7 lbs. 14 oz.	7 lbs. 14 oz.	6 lbs. 12 oz.
BORE	1 <sup>25</sup> / <sub>32</sub> in.	1½6 in.	1% in.	15∕ <sub>16</sub> in.	
STROKE	11/16 in.	15/16 in.	1¼ in.	1¼ in.	
IGNITION	Phelon moistureproof, dustproof, flywheel type magneto	Phelon moistureproof, dustproof, flywheel type magneto	Phelon moistureproof, dustproof, flywheel type magneto	Phelon moistureproof, dustproof, flywheel type magneto	
CHAIN SPEED	2850 rpm	3150 rpm	3150 rpm	3150 rpm	5000 rpm (no load)
FUEL TANK CAPACITY	26.5 oz.	li oz.	II oz.	11 oz.	
OIL TANK CAPACITY	5.3 oz.	6 oz.	6 oz.	6 oz.	4 oz.
FELLING HEIGHT (MINIMUM)	1½ in.	1¼ in.	1¼ in.	1¼ in.	<sup>11</sup> / <sub>16</sub> in.
BAR	17 in. Stoodite Tipped	14-in. Stoodite Tipped	12-in. Stoodite Tipped	10-in. Stoodite Tipped	14 in. (reversible)
CHAIN	⅓ in Pitch Chip-Rite	¼ in Pitch Micro-Chisel	% in Extended Pitch Chrome	% in Extended Pitch Chrome	% in. Extended Pitch Chrome
CHAIN OILING	Automatic/Manual Override	Automatic/Manual Overnde	Automatic/Manual Override	Automatic	Manual

Ask about White Motor Credit... quality financial services for quality products.



