



HOMELITE

Chain Saw



PARTS LIST

Model 5-30N

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 1—RECOIL STARTER PARTS

Index No.	Part No.	Nomenclature	No. Required
1	AA-73234 74846	COVER—starting pulley DECAL	1
2	55898	ROPE—starting	1
3	71149-B	GRIP—starting cable	1
4	55369-A	PIN—starting grip lock	1
5	80475	SCREW—6-32 x 3/4 fil. hd.	4
6	83004	WASHER—#6 lock	4
7	A-55658	PULLY—starting (includes pin, index No. 8)	1
8	71577	PIN—dowel	1
9	71588	SHIM—plastic	as req.
10	81110	NUT—7/16-20 hex. jam	1
11	83019	WASHER—7/16 lock	1
12	84055	WASHER—7/16 flat alum.	1
13	71598-A	WASHER—thrust	2
14	72138	CAP—spark plug	1
15	AA-73403	SHIELD—cylinder	1
16	80577	SCREW—8-32 x 3/8 pan hd.	2
17	AA-72393	SHROUD—air Includes	1
18	81094-1 74475 71556-A	NUT—speed GROMMET (not shown) DECAL (Homelite)	2 1 1
19	80578	SCREW—10-32 x 7/16 pan hd.	3
20	A-74362	SCREEN—air	1
21	71470-A	SPRING—recoil	1

Index No.	Part No.	Nomenclature	No. Required
22	80572	SCREW—10-32 x 3/8 pan hd. (through bracket)	1
23	71603 AA-72308-1	COVER—spring housing BALL DRIVE Includes	1 1
24	71563-C	PLATE—ball drive	1
25	30355-1	BALL—steel	3
26	74221	RACE—inner	2
27	80464 AA-72307-1	SCREW—5-40 x 5/16 flat hd. RATCHET and HUB Includes	3 1
28	71570-B	RETAINER—ball	1
29	AA-72586	HUB—ratchet Includes	1
30	72295-A AA-72306-1	SCREW—Allen RATCHET and BEARING Includes	1 1
31	71597	SEAL—garlock	2
32	71596	BEARING—needle	2
33	71595	WICK—felt	1
34	AA-73549	RATCHET Includes	1
35	73525	WASHER—formica	1
36	83074	WASHER—1/4 lock, countersunk	3
37	80173	SCREW—1/4-20 x 3/8 flat hd.	3

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 2—IGNITION SYSTEM PARTS

Index No.	Part No.	Nomenclature	No. Required	Index No.	Part No.	Nomenclature	No. Required
	AA-72094-A	SWITCH—"on-off"	1	16	72129	ROTOR	1
		Composed of		17	80161	SCREW— $\frac{1}{4}$ -20 x $1\frac{1}{8}$ fil. hd.	2
1	72084-A1	NUT	1	18	AA-72394	STATOR—magneto (see inset)	1
2	55879	PLATE—"on-off"	1			Composed of	
3	*	SWITCH (with ground screw)	1	19	28008	LOCK—spring	1
4	80031	SCREW—10-32 x $\frac{1}{2}$ flat head	1	20	72395	GROUP—stator	1
5	71989-A	PLATE—back	1	21	72397	COIL—magneto	1
6	80578	SCREW—10-32 x 7/16 pan head	3	22	30268	WASHER—breaker arm	as req.
7	72133	CLAMP	1	23	72486	SCREW—(w/washer)	3
8	81109	NUT—10-32 flex. lock	1	24	72484	WASHER—contact plate	1
9	83009	WASHER— $\frac{1}{4}$ lock	3	25	72398	POINTS (set)	1
10	71488	GROMMET	1			Includes	
11	80055	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{4}$ fil. hd.	1	26	*	PLATE—contact	1
12	71349	KEY—cam	1	27	30267	WICK—felt	1
13	72126	CAM	1	28	72396	CONDENSOR	1
14	19797	KEY—rotor	1	29	AA-72399	LEAD—ground	1
15	60407	WASHER—spring	1	30	AA-72400	LEAD—high tension	1

* Not sold separately

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 3—FUEL TANK PARTS

Index No.	Part No.	Nomenclature	No. Required
1	A-55305	FUEL CAP	1
		Composed of	
2	72173	GASKET—fuel cap	1
3	A-55301-A	VALVE—relief	1
4	83083	WASHER—#3 lock	3
5	80592	SCREW—3-48 x 1/4	3
6	AA-72168-3	FUEL TANK	1
		Includes	
	73280	DECAL (starting instructions)	1
7	80571	SCREW—6-32 x 3/4 pan hd.	4
8	AA-71655-1	OIL CAP	1
		Includes	
	72280	GASKET	1
9	71551	GASKET—lubricator cover	1
10	80583	SCREW—10-32 x 3/4 pan hd.	1
11	A-74375	STRAINER—outlet	1
		Includes	
	74374	FILTER—felt	1
	74380	SNAP RING	1
12	72107-A	SLEEVE—flexible	1
13	72174	GASKET—outlet fitting	1
14	80451	SCREW—6-32 x 3/8 flat hd.	4

Index No.	Part No.	Nomenclature	No. Required
15	55738	VALVE—shut-off	1
16	55802	FUEL LINE—(to fuel pump inlet)	1
17	AA-72475	FITTING—outlet (w/tube)	1
18	80572	SCREW—10-32 x 3/8 pan hd.	2
	AA-72177-1	OIL PUMP—(see inset at left)	1
		Composed of	
19	AA-72178	TUBE and SCREEN	1
20	73693	SLEEVE—rubber	1
21	31733-1	ADAPTER—straight	1
22	31734	CONNECTOR—90° elbow	2
23	25527-1	BALL—check	2
24	71760	SPRING—check valve	2
25	71761	BODY—pump	1
26	71759	SCREW—plug	1
27	71762	SPRING—plunger	1
28	71763	TUBE—plunger	1
29	71765	ADAPTER—connector	1
30	71764	BUTTON—plunger	1
31	31733-1	ADAPTER—straight (to oil line)	1
32	31734	CONNECTOR—90° elbow	1
33	72681	PLATE—pump locking	1
34	71550	COVER—lubricator body	1

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 4—PISTOL GRIP PARTS

Index No.	Part No.	Nomenclature	No. Required
1	80560	SCREW—8-32 x 1/2	8
2	A-73869	COVER—air filter (includes gasket)	1
	73868	GASKET—air filter cover	1
3	AA-73061	FILTER—air	1
		Includes	
4	72967	GASKET—air filter	2
5	AA-73410-1	GRIP—pistol	1
6	AA-73392	ROD—choke	1
7	S-1007-1	GROMMET	1
8	AA-73055	TRIGGER—throttle	1
9	AA-73056	COVER—pistol grip	1
		Includes	
10	AA-73448	LOCK—throttle	1
		Includes	
11	72970	SPRING—throttle lock	1

Index No.	Part No.	Nomenclature	No. Required
12	A-73804	SHAFT—throttle	1
13	80581	SCREW—1/4-20 x 3/8 hex. hd.	2
14	72859	GUARD—carburetor	1
15	80066-2	BOLT—1/4-20 x 1 1/2 hex. hd.	1
16	83009	WASHER—1/4 lock	1
17	81013	NUT—1/4-20 hex.	1
18	83000	WASHER—#8 lock	1
19	80023	SCREW—8-32 x 3/8 fil. hd.	1
20	72971	GASKET—carburetor intake	1
21	80566	SCREW—10-32 x 7/8 hex. hd.	2
22	83046	WASHER—#10 lock	2
23	72856-1	ELBOW—air cleaner	1
24	72995	GASKET—air elbow	1

Always furnish saw model and serial number when ordering parts.

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 5—BROWN CARBURETOR PARTS

Index No.	Part No.	Nomenclature	No. Required	Index No.	Part No.	Nomenclature	No. Required
	A-74866	CARBURETOR (Brown Model 1-CS)	1			Includes	
		Composed of		21	†74977	PLUG—Welch	1
1	A-74992	SHAFT & LEVER—choke	1	22	†74978	PLUG—Welch	1
2	†77042	SCREW—stop lever, 4-40 x 1/4 truss hd.	1	23	77040	SCREW—idle stop, 6-32 x 9/16 rd. hd.	1
3	74989	LEVER—throttle stop	1	24	77011	CUP—idle stop screw	1
4	†74990	SPRING—throttle return	1	25	77010	SPRING—idle stop screw	1
5	74980	SHUTTER—throttle	1	26	74991	SHUTTER—choke	1
6	77044	SCREW—shutter	2	27	77017	SPRING—choke friction	1
7	†A-77012	PIN—inlet control lever	1	28	77018	PIN—choke friction	1
8	†74981	CLIP—throttle shaft	1	29	†77015	SPRING—tension	1
9	†77041	SCREW—6-32 x 1/4 pan hd.	1	30	†77016	LEVER—inlet control	1
10	A-74983	SHAFT & LEVER—throttle	1	31	†77030	GASKET—main diaphragm	1
		Includes		32	†A-77019	DIAPHRAGM—main	1
11	77045	SCREW—swivel, 6-32 x 1/4 rd hd.	1	33	A-77037	LINE—activator (not part of A-74866 Carburetor)	1
12	†77004	CLIP—spring retaining	2	34	77024	COVER—main diaphragm	1
13	†77009	SCREW—idle adjustment (includes 77004 clip)	1	35	†77025	GASKET—pump body	1
14	†77005	SPRING—adjustment screw	2	36	†77026	DIAPHRAGM—pump	1
15	†77006	WASHER—flat	2	37	77027	BODY—fuel pump	1
16	†77007	RING—square	2	38	77046	SCREW—body, 6-32 x 3/4 pan hd.	6
17	†74997	GASKET—fibre	2	39	†77028	SCREEN—fuel inlet strainer	1
18	†A-77001	SCREW—main adjustment (includes 77004 clip)	1	40	†77029	GASKET—strainer	1
19	†A-74996	NEEDLE & SEAT—inlet (includes 74997 gasket)	1	41	77031	COVER—fuel pump	1
20	A-77060	BODY—service	1	42	77043	SCREW—turret, 8-32 x 7/16 truss hd.	1
				43	77033	KIT—repair parts (RK-150)	1
				44	†77032	GASKET SET (GS-150)	1

† Included in 77032 Gasket Set.

‡ Included in 77033 Repair Parts Kit.

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 6—ENGINE PARTS

Index No.	Part No.	Nomenclature	No. Required	Index No.	Part No.	Nomenclature	No. Required
1	80057	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{8}$ pan hd.	3	24	83061	WASHER—lock (special thin)	2
2	80579	SCREW—10-32 x $\frac{3}{8}$ pan hd.	1	25	71106	GASKET—sealing	1
3	73751	DAMPER—heat	1	26	A-74706	CRANKCASE—rear half	1
	A-73757	MUFFLER	1			Includes	
4	80571	SCREW—6-32 x $\frac{3}{8}$ pan hd.	4	27	72787	STUD	2
5	73753	CAP—muffler	1	28	72413	SEAL—garlock	1
6	73756	RETAINER (outer)	1	29	55871	STUD	1
7	73754	ELEMENT—muffler	1	30	80181-1	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{8}$ hex. hd.	7
8	73755	RETAINER (inner)	1	31	83009	WASHER— $\frac{1}{4}$ lock	11
9	*	MUFFLER (shell)	1	32	81114	NUT— $\frac{1}{4}$ -28 flex-lock	2
10	72858	SPARK PLUG—Champion HO-3 (w/gasket)	1	33	50033	RING—retaining	1
11	25038	GASKET (included with spark plug)	1	34	71164-A	BEARING—main	1
12	AA-73189	CYLINDER	1	35	A-77188	CRANKSHAFT w/studs	1
		Includes		36	AA-72206	ROLLERS (set of 31)	1
	72122	INSERT—helicoil	1	37	A-6051	GOVERNOR	1
13	25412	NUT—5/16-24 hex.	4	38	A-77127	CRANKCASE (front half)	1
14	83042	WASHER—5/16 lock	4			Includes	
15	74139	GASKET—cylinder	1	39	72767-A	PLATE—intake valve	1
16	72830	RING—piston	3	40	55871	STUD (same as index No. 29)	1
	AA-73401	PISTON	1	41	73557	BEARING—needle	2
		Composed of		42	71110	SEAL—garlock	1
17	25502	RING—snap	2	43	72787	STUD (same as index No. 27)	2
18	*	PIN—piston	1	44	77034	ADAPTER—activator line	1
19	*	PISTON	1	45	81013	NUT— $\frac{1}{4}$ -20 hex	2
	A-74552-A	ROD—connecting	1	46	27464	STUD	2
		Composed of		47	74386-A	MANIFOLD—intake	1
20	71167	BEARING—needle	1	48	80447-1	SCREW— $\frac{1}{4}$ -20 x $1\frac{1}{8}$ hex. hd.	1
21	80492	SCREW—10-32 x $\frac{1}{2}$ allen cap	2	49	80218-1	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{4}$ hex. hd.	1
22	*	ROD (includes cap)	1	50	72969	GASKET—intake manifold	1
23	19238-A	SCREW—main bearing retaining	2	51	73460-A	GASKET—carburetor flange	1

* Not sold separately

Always furnish saw model and serial number when ordering parts.

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 7—DRIVE CASE PARTS

Index No.	Part No.	Nomenclature	No. Required
1	72514	BEARING	3
2	81101	NUT	2
3	71193-B	WASHER—flat 1/2	1
4	73131	COVER—clutch	1
5	73215	KEY—3/16 sq. x 7/16	3
	AA-73213	CLUTCH	1
		Composed of	
6	73064	SPIDER	1
7	73063	SHOE	6
8	73214	SPRING	2
9	AA-73058	DRUM—clutch (includes sprocket)	1
10	73045	SPACER	1
11	83009	WASHER—1/4 lock	4
12	80218-1	SCREW—1/4-20 x 3/4 hex. hd.	4
13	73771	FLANGE—sprocket, inner	1
14	73252	SPROCKET	1

Index No.	Part No.	Nomenclature	No. Required
15	73253	FLANGE—sprocket, outer	1
16	73254	SPACER—sprocket	2
17		DRIVE CASE (See Figure 8 for breakdown)	1
18	72328	BEARING (small)	1
19	71819-A	SPACER—sprocket shaft bearing	1
20	31080	RING—retaining	1
21	73216	BELT—drive	1
22	73065	PULLEY—sprocket	1
23	71817-B	SHAFT—sprocket	1
24	80600	SCREW—10-32 x 1/2 flat hd.	4
	AA-73217	COVER—drive case	1
		Composed of	
25	72195-D	GASKET—drive case cover	1
26	*	COVER	1
27	80568	SCREW—8-32 x 7/8 pan hd.	7

* Not sold separately

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 8—SAW END GROUP PARTS

Index No.	Part No.	Nomenclature	No. Required	Index No.	Part No.	Nomenclature	No. Required
1	81102	NUT—5/16-18	1			Composed of	
2	80573	SCREW—1/4-20 x 13/16 hex. hd.	2		71946-A	BRACKET—tension adjusting	1
3	31734	ELBOW—connector	1		AA-72407	PLATE—adjusting (w/screw)	1
4	31733-1	ADAPTER—straight	1	17	72374	SHIM—guide bar	1
5	AA-72444	OIL LINE	1		**	PARTS GROUP (for short spike model 5-30N)	
6	80087	SCREW—5/16-18 x 1 1/2 hex. hd.	2			Composed of	
7	83003	WASHER—5/16 lock	4	18	73420	PLATE—spiked bumper, short	1
8	AA-72697	HANDLE	1	19	80087	SCREW (same as index No. 6)	2
9	A-74707	DRIVE CASE	1	20	83003	WASHER (same as index No. 7)	2
		Includes		21	72223	GUARD—handle	1
	74582	STUD—guide bar (shown assembled)	2		**	PARTS GROUP (for long spike model 5-30NA)	
10	72268	KEY—guide bar	1			Composed of	
11	73048	SHIELD—sawdust	1	22	72739-A	PLATE—spiked bumper, long	1
12	80567	SCREW—8-32 x 3/4	1	23	80197	SCREW—5/16-18 x 2 hex. hd.	2
13	80560	SCREW—8-32 x 1/2 pan hd.	1	24	83003	WASHER—5/16 (same as index No. 7)	2
14	81089	NUT—3/8-16 hex. hd.	2	25	73281	SPACER—handle	1
15	83018	WASHER—3/8 lock	2	26	A-74201	BRACE—handle (w/screw and nut)	1
16	**	DEVICE—chain tension	1				

** Order individual pieces

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 9—CHAIN AND GUIDE BAR PARTS

Index No.	Part No.	Nomenclature	No. Required
1	AA-72977	18" CHAIN—#4, 9/16 pitch .063 (w/kit)	1
	AA-72978	23" CHAIN—#4, 9/16 pitch .063 (w/kit)	1
	AA-72979	28" CHAIN—#4, 9/16 pitch .063 (w/kit)	1
	AA-72983	33" CHAIN—#4, 9/16 pitch .063 (w/kit)	1
	AA-72981	38" CHAIN—#4, 9/16 pitch .063 (w/kit)	1
	AA-72982	42" CHAIN—#4, 9/16 pitch .063 (w/kit)	1
	AA-72984	44" CHAIN—#4, 9/16 pitch .063 (w/kit)	1
	AA-73564	50" CHAIN—#4, 9/16 pitch .063 (w/kit)	1
	AA-73563	60" CHAIN—#4, 9/16 pitch .063 (w/kit)	1
	AA-73338	18" CHAIN—#10, 1/2" pitch .063 (w/kit)	1
	AA-73340	23" CHAIN—#10, 1/2" pitch .063 (w/kit)	1
	AA-73342	28" CHAIN—#10, 1/2" pitch .063 (w/kit)	1
	AA-73344	33" CHAIN—#10, 1/2" pitch .063 (w/kit)	1
	AA-73346	38" CHAIN—#10, 1/2" pitch .063 (w/kit)	1
	AA-73350	44" CHAIN—#10, 1/2" pitch .063 (w/kit)	1
2	A-74318	18" BAR—track hardened plus extra hard tip	1
	A-74323	23" BAR—track hardened plus extra hard tip	1
	A-74328	28" BAR—track hardened plus extra hard tip	1
	73330-1	33" BAR—extra hard tip	1
	73332-1	38" BAR—extra hard tip	1
	73336-1	44" BAR—extra hard tip	1
	73565-1	50" BAR—extra hard tip	1
	73562-1	60" BAR—extra hard tip	1

Index No.	Part No.	Nomenclature	No. Required
	AA-72973	KIT—#4 chain repair (packaged with chain)	1
		Includes	
3	72597-2	CUTTER—right	1
4	72595	LINK—connecting (plain)	2
5	72974	LINK—drive	1
6	AA-73603	LINK—connecting (with rivets)	2
7	72979-1	CUTTER—left	1
8	72959	RIVET	4
	AA-73314	KIT—#10 chain repair (not shown)	1
		Includes	
	72964	CUTTER—right	1
	72960	LINK—connecting (plain)	2
	73383	LINK—drive	1
	AA-72961	LINK—connecting (with rivets)	2
	72963	CUTTER—left	1
	72959	RIVET	4
9	22808	WRENCH—combination	1
	22670	FILE HOLDER—1/2" pitch	1
		Includes	
	22676-2	FILE—1/4" rd.	1
	22944	FILE HOLDER—9/16" pitch	1
		Includes	
	22970	FILE—9/32" rd.	1

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 10—BOW ATTACHMENT PARTS

Index No.	Part No.	Nomenclature	No. Required
	A-73875	BOW KIT	1
		Includes	
1	72226	HANDLE	1
2	72779	GUARD	1
3	84001	WASHER—5/16 flat	5
4	80546	SCREW—5/16-24 x 1 1/4 hex. hd.	3
5	80606	SCREW—5/16-24 x 1 3/4 hex. hd.	1
6	81112	NUT—5/16-24 hex. lock	7
7	80545	SCREW—5/16-24 x 1	3
8	72784	SPUR—plunging	1
9	A-73876	PLATE—mounting	1
		Includes	
	80580	SCREW—headless	1

Index No.	Part No.	Nomenclature	No. Required
10	81123	NUT—adjusting plate	1
11	71947-A	PLATE—adjusting	1
12	80617	SCREW—adjusting plate	1
13	A-73739	14" GUIDE—hard-surfaced	1
	A-73740	18" GUIDE—hard surfaced	1
	AA-73235	END—helper (optional use—18" bow only)	1
		Includes	
14	72827	GUARD	1
	72226	HANDLE (same as index No. 1)	1
	AA-73340	CHAIN—#10 (for 14" bow)	1
	AA-73342	CHAIN—#10 (for 18" bow)	1
	AA-73314	KIT—chain repair (see figure 9 for breakdown)	1

**You'll
SPEED WORK
and make
MORE MONEY
with...**



HOMELITE
SELF-PRIMING PUMPS



HOMELITE
DEPENDABLE GENERATORS



HOMELITE
POWERFUL ONE-MAN CHAIN SAWS



HOMELITE
ONE-MAN CONCRETE VIBRATORS



HOMELITE — BOSCH (Germany)
ELECTRIC BUILDER'S HAMMERS

All Powered By Famous HOMELITE Engines

Homelite's two-cycle gasoline engines are the most efficient and dependable units of their kind ever built. Their two-cycle design, developed to perfection by Homelite engineers over the past 35 years, gives maximum power for the least weight because power is produced at every piston down stroke. As an added advantage, this design requires fewer moving parts which means greater dependability and lower maintenance.

HOMELITE

a division of Textron Inc.
PORT CHESTER, N. Y., U. S. A.