


PARTS LIST

HOMELITE **CHAIN SAW**



MODEL 5 - 30N

HOMELITE CORPORATION
PORT CHESTER, N.Y.

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 1

RECOIL STARTER

Index No.	Part No.	Nomenclature	No. Required
1	AA-73234	COVER—starting pulley	1
2	AA-71997	CABLE—starting	1
3	71149-A	GRIP—starting cable	1
4	71420-A	PIN—starting grip lock	1
5	80475	SCREW—6-32 x 3/4 fl. hd.	4
6	83004	WASHER—#6 lock	4
7	AA-71589-1	PULLEY—starting [includes pin, index No. 8]	1
8	71577	PIN—dowel	1
9	71588	SHIM—plastic as req.	1
10	81110	NUT—7/16-20 hex. jam	1
11	83019	WASHER—7/16 lock	1
12	84055	WASHER—7/16 flat alum.	1
13	71598-A	WASHER—thrust	2
14	72138	CAP—spark plug	1
15	AA-73403	SHIELD—cylinder	1
16	80577	SCREW—8-32 x 3/4 pan hd.	2
	AA-73400	SHROUD—air Composed of	1
17	81094-1	NUT—speed	2
18	*	SHROUD	1
	71556-A	DECAL—(Homelite)	1
19	AA-72392	SCREEN—air	1
20	71470	SPRING—recoil	1
21	80572	SCREW—10-32 x 5/8 pan hd. (through bracket)	1

Index No.	Part No.	Nomenclature	No. Required
22	80578	SCREW—10-32 x 7/16 pan hd.	3
23	71603	COVER—spring housing	1
	AA-72308	BALL DRIVE Composed of	1
24	71563-C	PLATE—ball drive	1
25	30355-1	BALL—steel	3
26	71196-B	SLEEVE—bearing	1
27	80464	SCREW—5-40 x 5/16 flat head	3
	AA-72307-1	RATCHET AND HUB Composed of	1
28	71570-B	RETAINER—ball	1
	AA-72586	HUB—ball drive Composed of	1
29	*	HUB	1
30	72295	SCREW—hub	1
	AA-72306-1	RATCHET—ball drive Composed of	1
31	71595	WICK—felt	1
32	AA-73549	RATCHET (w/washer)	1
33	71597	SEAL—gearlock	2
34	71596	BEARING—needle	2
	†73525	WASHER	1
35	83074	WASHER—1/4 countersunk lock	3
36	80173	SCREW—1/4-20 x 5/8 flat hd.	3

* Not Sold Separately

† Cemented to Ratchet

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 2

IGNITION

Index No.	Part No.	Nomenclature	No. Required
	AA-72094	SWITCH—toggle Composed of *	1
1	72084-A1	NUT—switch locking	1
2	72085-A	PLATE—"on-off"	1
3	*	SCREW AND WASHER (ground conn.)	1
4	*	SWITCH	1
5	80031	SCREW—10-32 x 1/2 flat head	1
6	71989-A	PLATE—back	1
7	80578	SCREW—10-32 x 7/16 pan head	5
8	72133	CLAMP	1
9	81109	NUT—10-32 flex. lock	1
10	83009	WASHER—1/4 lock	3
11	71488	GROMMET	1
12	80055	SCREW—1/4-20 x 3/4 fl. hd.	1
13	80161	SCREW—1/4-20 x 1 1/2 fl. hd.	2
14	60407	WASHER—spring	1
		MAGNETO Composed of	1
15	72129	ROTOR	1

Index No.	Part No.	Nomenclature	No. Required
16	19797	KEY—rotor	1
17	72126	CAM	1
18	71349	KEY—cam	1
19	AA-72394	STATOR—magneto (see inset) Composed of	1
20	72396	CONDENSER	1
21	AA-72399	LEAD—ground	1
22	AA-72400	LEAD—high tension	1
23	28008	LOCK—spring	1
24	72393	GROUP—stator	1
25	72397	COIL—magneto	1
26	30268	WASHER—breaker arm as req.	1
27	72486	SCREW—(w/washer)	3
28	72484	WASHER—contact plate	1
	72398	POINTS (set) Composed of	1
29	*	BREAKER ARM	1
30	30267	WICK—felt	1
31	*	PLATE—contact	1

* Not sold separately

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 3

FUEL TANK

Index No.	Part No.	Nomenclature	No. Required
1	AA-72168-3	FUEL TANK	1
	*	Composed of	
	*	TANK	1
	73280	DECAL (starting instructions)	1
	A-55305-A	FUEL CAP	1
	*	Composed of	
2	80592	SCREW—3.48 x 1/4	3
	*	CHAIN—bead	1
3	83083	WASHER—#3 lock	3
4	A-55301-A	VALVE—relief	1
5	72173	GASKET—fuel cap	1
6	*	CAP	1
7	80571	SCREW—6.32 x 3/8 pan hd.	4
8	AA-71655	OIL CAP	1
	*	Composed of	
	*	CAP AND CHAIN	1
	72280	GASKET	1
9	71551	GASKET—lubricator cover	1
10	80583	SCREW—10.32 x 3/4 pan hd.	1
11	AA-72108	STRAINER—outlet	1
12	72107-A	SLEEVE—flexible	1
13	72174	GASKET—outlet fitting	1
14	80451	SCREW—6.32 x 3/8 flat hd.	4

Index No.	Part No.	Nomenclature	No. Required
15	72175	VALVE—shut-off	1
16	A-73767	FUEL LINE (to fuel pump inlet)	1
17	AA-72475	FITTING—outlet (w/tube)	1
18	80572	SCREW—10.32 x 5/8 pan hd.	2
	AA-72177-1	OIL PUMP (see inset at left)	1
	*	Composed of	
19	AA-72178	TUBE AND SCREEN	1
20	73693	SLEEVE—rubber	1
21	31733-1	ADAPTER—straight	1
22	31734	CONNECTOR—90° elbow	2
23	55527-1	BALL—check	2
24	71760	SPRING—check valve	2
25	71761	BODY—pump	1
26	71759	SCREW—plug	1
27	71762	SPRING—plunger	1
28	71763	TUBE—plunger	1
29	71765	ADAPTER—connector	1
30	71764	BUTTON—plunger	1
31	31733-1	ADAPTER—straight (to oil line)	1
32	31734	CONNECTOR—90° elbow	1
33	72681	PLATE—pump locking	1
34	71550	COVER—lubricator body	1

* Not sold separately

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 4

PISTOL GRIP

Index No.	Part No.	Nomenclature	No. Required
1	80560	SCREW—8-32 x 1/2	8
2	A-73869	COVER—air filter (includes gasket)	1
	73868	GASKET—air filter cover	1
	AA-73061	FILTER—air	1
		Composed of	
3	*	ELEMENT—filter	1
4	72967	GASKET—air filter	2
5	AA-73410	GRIP—pistol	1
6	AA-73392	ROD—choke	1
7	S-1007-1	GROMMET	1
8	AA-73055	TRIGGER—throttle	1
	AA-73448	LOCK—throttle	1
		Composed of	
9	72970	SPRING—throttle lock	1
	*	LOCK	1

Index No.	Part No.	Nomenclature	No. Required
10	*	BUTTON—throttle lock	1
11	AA-73056	COVER—pistol grip (includes throttle lock)	1
12	A-73804	SHAFT—throttle	1
13	80581	SCREW—1/4-20 x 5/8 hex. hd.	2
14	72859	GUARD—carburetor	1
15	80066-2	BOLT—1/4-20 x 1 1/2 hex. hd.	1
16	83009	WASHER—1/4 lock	1
17	81013	NUT—1/4-20 hex.	1
18	83000	WASHER—#8 lock	1
19	80023	SCREW—8-32 x 3/8 fil. hd.	1
20	72971	GASKET—carburetor intake	1
21	80566	SCREW—10-32 x 7/8 hex. hd.	2
22	83046	WASHER—#10 lock	2
23	72856	ELBOW—air cleaner	1
24	72995	GASKET—air elbow	1

* Not sold separately

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 5


CARBURETOR PARTS

Index No.	Part No.	Nomenclature	No. Required	Index No.	Part No.	Nomenclature	No. Required
	A-73761	CARBURETOR (Till. #HP-6A)	1	34	*	SEAT	1
		Composed of		35	*	NEEDLE	1
1	†71519	SCREW—throttle	1	36	†73079	LEVER—inlet control	1
2	73272	SHUTTER—throttle	1	37	73071	GASKET—main diaphragm	1
3	28091	SCREW—plug	1	38	†73070	DIAPHRAGM—main	1
4	†60051	BALL—check	1		A-73824	COVER—diaphragm	1
5	†73424	SEAT—idle check valve	1			Composed of	
6	73068	SCREW—plug	1	39	*	COVER	1
7	†AA-73615	SCREW (includes copper washers)	1	40	55323	CLIP—retaining	1
	73616	WASHER (included with index No. 7)	2	41	55324	SPRING	1
8	71494	PIN—choke friction	1	42	55325	PLUNGER—flushing	1
9	73264	SPRING—choke friction	1	43	†55313	DIAPHRAGM—fuel pump	1
10	73077	SCREEN—inlet connection	1	44	†55314	"IN" VALVE (includes gasket, index No. 45)	1
11	73266	GASKET—inlet	1	45	73270	GASKET	3
12	72812	BUSHING	2	46	73072	SCREW (short, with washer)	7
13	A-73763-A	SUPPLY LINE (pump to carb, inlet)	1	47	†55316	SCREW (long, with washer)	1
14	S-740	ELBOW	1	48	73823	BODY—fuel pump	1
		SHAFT—throttle	1	49	55315	"OUT" VALVE (includes gasket, index No. 45)	1
		Composed of		50	†73082	SPRING—inlet control	1
15	73831	SHAFT	1	51	†73085	SCREW	1
16	†73832	LEVER	1	52	73425	GASKET	1
17	†83008	WASHER—lock	1	53	73084	NOZZLE—main	1
18	†71521	SCREW	1	54	71516	PLUG—drain	1
19	†28048	SCREW—set	1	55	73423	LEVER—choke	1
	AA-73269	SCREW—main adjusting	1	56	73086	CLIP	1
		Composed of		57	†71509	SCREW—idle stop	1
20	†73083	SCREW	1	58	83000	WASHER—lock	1
21	28058	NUT	1	59	73088	SCREW	1
22	15037	PACKING	1	60	†28064	SPRING—idle stop	1
23	28057	GIAND	1	61	†71521	SCREW (same as index No. 18)	1
24	28055	GASKET	1	62	†83008	WASHER—lock (same as index No. 17)	1
25	28049	SCREW—choke shutter	1	63	71520	LEVER—throttle stop	1
26	73263	SHUTTER—choke	1	64	†71518	SPRING—throttle retaining	1
27	73268	GASKET	1	65	73427	PIN—throttle stop	1
28	†73080	SCREW	1	66	S-740-1	ELBOW	1
29	73267	CAP	1	67	73865	ELBOW	2
30	†73074	SCREW	1	68	A-73765-A	LINE—activator (from crankcase)	1
31	†73075	SPRING	1	69	A-73767	LINE—fuel (from tank)	1
32	28130	WASHER—fuel	1	70	73830	KIT (repair parts)	1
	†73078	NEEDLE AND SEAT	1	71	†55345	GASKET SET (GS-102)	1
		Composed of					
33	55344	GASKET	1				

* Not sold separately

† Included in 73830 repair parts kit

HOMELITE CHAIN SAW MODEL 5-30N



ENGINE

Index No.	Part No.	Nomenclature	No. Required
1	80057	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{8}$ pan hd.	3
2	80579	SCREW—10-32 x $\frac{3}{8}$ pan hd.	1
3	73751	DAMPER—heat	1
	A-73757	MUFFLER	1
		Composed of	
4	80571	SCREW—6-32 x $\frac{3}{8}$ pan hd.	4
5	73753	CAP—muffler	1
6	73756	RETAINER (outer)	1
7	73754	ELEMENT—muffler	1
8	73755	RETAINER (inner)	1
9	*	MUFFLER (shell)	1
10	72858	SPARK PLUG—Champion HO-3 (w/ gasket)	1
11	25038	GASKET (included with spark plug)	1
12	AA-73189	CYLINDER	1
		Composed of	
	*	CASTING	1
	72122	INSERT—helicoil	1
13	25412	NUT—5/16-24 hex.	4
14	83042	WASHER—5/16 lock	4
15	72747-A	GASKET—cylinder	1
16	72830	RING—piston	3
	AA-73401	PISTON	1
		Composed of	
17	25502	RING—snap	2
18	*	PIN—piston	1
19	*	PISTON	1
	A-73692	ROD—connecting	1
		Composed of	
20	72311	BEARING	1
21	80492	SCREW—10-32 x $\frac{1}{2}$ allen cap	2
22	*	ROD (includes cap)	1
23	19238-A	SCREW—main bearing retaining	2
24	83061	WASHER—lock (special thin)	2

Index No.	Part No.	Nomenclature	No. Required
25	71106	GASKET—sealing	1
	AA-73398	CRANKCASE—rear half	1
		Composed of	
26	*	CRANKCASE	1
27	72787	STUD	2
28	72413	SEAL—garlock	1
29	71304	STUD	1
	*	PIN—dowel	5
30	80181-1	SCREW— $\frac{1}{4}$ -20x $\frac{3}{8}$ hex hd.	7
31	83009	WASHER— $\frac{1}{4}$ lock	13
32	81114	NUT— $\frac{1}{4}$ -28 flax-lock	2
33	50033	RING—retaining	1
34	71164-A	BEARING—main	1
35	73060	CRANKSHAFT	1
	AA-72206	ROLLERS (set)	1
		Composed of	
36	72256	ROLLER—needle	31
37	A-6038	GOVERNOR	1
	A-73760	CRANKCASE (front half)	1
		Composed of	
38	72767-A	PLATE—intake valve	1
39	*	CRANKCASE	1
40	71304	STUD (same as index No. 29)	1
41	71110	SEAL—garlock	1
42	73865	ELBOW (for activator line)	1
43	72787	STUD (same as index No. 27)	2
	*	PIN—dowel	2
44	81013	NUT— $\frac{1}{4}$ -20 hex	2
45	72464	STUD	2
46	72842	MANIFOLD—intake	1
47	80447-1	SCREW— $\frac{1}{4}$ -20 x $1\frac{1}{8}$ hex hd.	1
48	80218-1	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{4}$ hex hd.	1
49	72969	GASKET—intake manifold	1

*Not sold separately

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 7

DRIVE CASE

Index No.	Part No.	Nomenclature	No. Required
1	72514	BEARING	3
2	81101	NUT	2
3	71193-B	WASHER—flat $\frac{1}{2}$	1
4	73131	COVER—clutch	1
5	73215	KEY— $\frac{3}{16}$ sq. x $\frac{7}{16}$	3
	AA-73213	CLUTCH	1
		Composed of	
6	73064	SPIDER	1
7	73063	SHOE	6
8	73214	SPRING	2
9	AA-73058	DRUM—clutch (includes sprocket)	1
10	73045	SPACER	1
11	83009	WASHER— $\frac{1}{4}$ lock	4
12	80218-1	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{4}$ hex. hd.	4
13	73771	FLANGE—sprocket, inner	1
14	73252	SPROCKET	1

Index No.	Part No.	Nomenclature	No. Required
15	73253	FLANGE—sprocket, outer	1
16	73254	SPACER—sprocket	2
17		DRIVE CASE (See Figure 8 for breakdown)	1
18	72328	BEARING (small)	1
19	71819-A	SPACER—sprocket shaft bearing	1
20	31080	RING—retaining	1
21	73216	BELT—drive	1
22	73065	PULLEY—sprocket	1
23	71817-B	SHAFT—sprocket	1
24	80600	SCREW—10-32 x $\frac{1}{2}$ flat hd.	4
	AA-73217	COVER—drive case	1
		Composed of	
25	72195-D	GASKET—drive case cover	1
26	*	COVER	1
27	80568	SCREW—8-32 x $\frac{1}{8}$ pan hd.	7

* Not sold separately

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 8

SAW END GROUP

Index No.	Part No.	Nomenclature	No. Required
1	81102	NUT— $\frac{1}{16}$ -18	1
2	80573	SCREW— $\frac{1}{4}$ -20 x $1\frac{1}{2}$ hex. hd.	2
3	31734	ELBOW—connector	1
4	31733-1	ADAPTER—straight	1
5	AA-72444	OIL LINE	1
6	80087	SCREW— $\frac{1}{16}$ -18 x $1\frac{1}{2}$ hex. hd.	2
7	83003	WASHER— $\frac{1}{16}$ lock	4
8	AA-72697	HANDLE	1
9	AA-73399	DRIVE CASE	1
	*	Composed of	
		CASTING	1
	30679	STUD—guide bar (shown assembled)	2
10	72268	KEY—guide bar	1
11	73048	SHIELD—sawdust	1
12	80567	SCREW—8-32 x $\frac{3}{4}$	1
13	80560	SCREW—8-32 x $\frac{1}{2}$ pan hd.	1
14	81089	NUT— $\frac{3}{8}$ -16 hex. hd.	2
15	83018	WASHER— $\frac{3}{8}$ lock	2

Index No.	Part No.	Nomenclature	No. Required
16	AA-72184	DEVICE—chain tension	1
		Composed of	
	71946-A	BRACKET—tension adjusting	1
	AA-72407	PLATE—adjusting (w/screw)	1
17	72374	SHIM—guide bar	1
	**	PARTS GROUP (for short spike model 5-30N)	
		Composed of	
18	73420	PLATE—spiked bumper, short	1
19	80087	SCREW (same as index No. 6)	2
20	83003	WASHER (same as index No. 7)	2
21	72223	GUARD—handle	1
	**	PARTS GROUP (for long spike model 5-30NA)	
		Composed of	
22	72739-A	PLATE—spiked bumper, long	1
23	80197	SCREW— $\frac{1}{16}$ -18 x 2 hex. hd.	2
24	83003	WASHER— $\frac{1}{16}$ (same as index No. 7)	2
25	73281	SPACER—handle	1

* Not sold separately

** Order individual pieces

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 9

STRAIGHT BLADE PARTS

Index No.	Part No.	Nomenclature	No. Required
1	AA-73330	44" CHAIN—#10 chipper (w/kit)	1
	AA-73346	38" CHAIN—#10 chipper (w/kit)	1
	AA-73344	33" CHAIN—#10 chipper (w/kit)	1
	AA-73342	28" CHAIN—#10 chipper (w/kit)	1
	AA-73340	23" CHAIN—#10 chipper (w/kit)	1
	AA-73338	18" CHAIN—#10 chipper (w/kit)	1
2	AA-73244	28" BAR—track hardened	1
	AA-73247	23" BAR—track hardened	1
	AA-73249	18" BAR—track hardened	1
	573336	44" BAR—extra hard tip	1
	73332	38" BAR—extra hard tip	1
	573330	33" BAR—extra hard tip	1
	573328	28" BAR—extra hard tip	1

§ Not a stock item

Index No.	Part No.	Nomenclature	No. Required
	573326	23" BAR—extra hard tip	1
	573324	18" BAR—extra hard tip	1
	AA-73314	KIT—#10 chain repair (packaged with chain)	1
		Composed of	
3	72964	CUTTER—left	1
4	72960	LINK—connecting (plain)	2
5	73383	LINK—drive	1
6	AA-72961	LINK—connecting (with rivets)	2
7	72963	CUTTER—right	1
8	72959	RIVET	4
9	22808	WRENCH—combination (packaged with engine)	1

HOMELITE CHAIN SAW MODEL 5-30N




FIGURE 10

BOW PARTS

Index No.	Part No.	Nomenclature	No. Required
	AA-72847	14" ATTACHMENT—plunge cut bow	1
	AA-72848	18" ATTACHMENT—plunge cut bow	1
		Composed of	
		HANDLE	1
1	72226	GUARD—chain	1
2	72779	GUARD—chain	1
3	84001	WASHER— $\frac{1}{16}$ flat	5
4	80546	SCREW— $\frac{1}{16}$ -24 x $1\frac{1}{4}$ hex. hd.	3
5	80606	SCREW— $\frac{1}{16}$ -24 x $1\frac{1}{4}$ hex. hd.	1
6	A-73690	14" GUIDE	1
	A-73689	18" GUIDE	1
7	80545	SCREW— $\frac{1}{16}$ -24 x 1	3
8	81112	NUT— $\frac{1}{16}$ -24 hex lock	7
9	A-73876	PLATE—mounting	1
		Composed of	
	*	PLATE	1
	*	HELICOIL	1

Index No.	Part No.	Nomenclature	No. Required
	80580	SCREW—headless	1
10	72281-1	NUT—adjusting plate	1
11	71947-A	PLATE—adjusting	1
12	80512-2	SCREW—adjusting plate	1
13	86301	PIN—cotter	1
14	72784	SPUR—plunging	1
	AA-73235	END—helper (optional use—18" bow only)	1
		Composed of	
		GUARD	1
15	72827	HANDLE (same as index No. 1)	1
	72226	HANDLE (same as index No. 1)	1
	AA-73340	CHAIN (#10 for 14" bow)	1
	AA-73342	CHAIN (#10 for 18" bow)	1
	AA-73314	KIT—chain repair (see figure 9 for breakdown)	1

* Not sold separately

HOMELITE CHAIN SAW MODEL 5-30N





FIGURE 11

2-MAN BLADE

Index No.	Part No.	Nomenclature	No. Required
1	AA-73348	42" CHAIN (#10 Oregon with kit)	1
2	73334	42" BAR (reversible)	1
3	72271	42" GUARD—chain	1
4	72270	SHOE—bumper	1
	AA-72344	PLATE—bumper	1
		Composed of	
5		PLATE (plain)	1
6	80045	SCREW— $\frac{1}{4}$ -20 x $\frac{1}{2}$ fl. hd.	1
7	83009	WASHER— $\frac{1}{4}$ lock	1
8	84004	WASHER— $\frac{1}{4}$ flat	1
	AA-73394	END—helper's	1
		Composed of	
9	81089	NUT— $\frac{3}{8}$ -16 hex	2
10	83018	WASHER— $\frac{3}{8}$ lock	2
11	84010	WASHER— $\frac{3}{8}$ flat	2

Index No.	Part No.	Nomenclature	No. Required
12	30327	STUD	2
13	72237	COVER—helper's end	1
	84004	WASHER— $\frac{1}{4}$ flat	2
	83009	WASHER— $\frac{1}{4}$ lock	2
14	81003	NUT— $\frac{1}{4}$ -20 wing	2
15	26304	STUD— $\frac{1}{4}$ -20	2
16	AA-72476	HANDLE	1
	AA-73318	WHEEL—idler	1
		Composed of	
17	71726	RING—snap	2
18	72204	BEARING—ball (N.D. 77500)	1
19	73316	WHEEL—idler	1
20	72227	SCREW—idler wheel	1
21	80045	SCREW— $\frac{1}{4}$ -20 x $\frac{1}{2}$ fl. hd.	1

HOMELITE *Carryable* PRODUCTS



GENERATORS

Alternating or Direct Current
Gasoline-Engine-Driven
Sizes: 1000 to 5000 watts
Voltages: 6 to 220 volts
Frequencies: 50 to 400 cycles




CHAIN SAWS

Gasoline-Engine-Driven
3 1/2 HP to 7 HP
Straight Blade and Bows



BLOWERS

Smokejectors Ventilators
Gasoline-Engine-Driven
Capacities: 1500 CFM



PUMPS

Self-Priming Centrifugal
Gasoline-Engine-Driven
Sizes: 1 1/2", 2", 3"
Capacities: 5,500 to 15,000 gph

HOMELITE CORPORATION • PORT CHESTER, N.Y., U.S.A.
Printed in U.S.A.