

PARTS LIST

SEPT., 1958

HOMELITE

8 29

**World's Most
Powerful One-Man
Chain Saw!**



HOMELITE CHAIN SAW MODEL 8-29




FIGURE 1 — RECOIL STARTER

SEPT. 1958

Index No.	Part No.	Description	No. Required	Index No.	Part No.	Description	No. Required
1	AA-73234-1	COVER—starting pulley	1	22	A-74474	SHROUD—air	1
	77287	DECAL	1			Includes	
2	80475	SCREW—6-32 x 3/4 fil. hd.	4	23	81094-1	NUT—speed	2
3	83004	WASHER—#6 lock	4		74475	GROMMET (not shown)	1
4	55597-1	PULLEY—starting	1	24	80577	SCREW—8-32 x 3/8 pan hd.	2
5	71588	SHIM—plastic	As Req.	25	AA-73403	SHIELD—cylinder	1
6	55898	ROPE—starting (nylon)	1	26	72138	CAP—spark plug	1
7	55937	GRIP—starting	1	27	A-77339	BALL DRIVE	1
8	A-56081	INSERT—starting grip w/cover	1			Includes	
		Includes		28	71563-C	PLATE—ball drive	1
9	80619	SCREW	2	29	30355-1	BALL—steel	3
10	80572	SCREW—10-32 x 5/8 pan hd. (through bracket)	1	30	74221	RACE—inner	2
11	A-74362	SCREEN—air	1	31	80464	SCREW—5-40 x 5/16 flat hd.	3
		Includes		32	71570-B	RETAINER—ball	1
12	A-74361	BRACKET (with 55363-A bushing)	1	33	A-56520	HUB—ratchet	1
13	56497	SPRING—recoil	1			Includes	
14	71603	COVER—spring housing	1	34	72295-A	SCREW—Allen	1
15	80578	SCREW—10-32 x 7/16 pan hd.	6		AA-72306-1	RATCHET & BEARING	1
16	81110	NUT—7/16-20 hex jam	1			Includes	
17	83019	WASHER—7/16 lock	1	35	71597	SEAL—garlock	2
18	84055	WASHER—flat alum.	1	36	71596	BEARING—needle	2
19	71598-A	WASHER—thrust	2	37	71595	WICK—felt	1
20	80173	SCREW—1/4-20 x 5/8 flat hd.	3	38	AA-73549	RATCHET	1
21	83074	WASHER—1/4 countersunk lock	3			Includes	
				39	73525	WASHER—formica	1

HOMELITE CHAIN SAW MODEL 8-29




FIGURE 2 — IGNITION

SEPT. 1958

Index No.	Part No.	Description	No. Required
1	AA-72094-A	SWITCH—"on-off"	1
		Includes	
2	72084-A1	NUT	1
3	55879	PLATE—"on-off"	1
4	80031	SCREW—10-32 x 1/2 flat head	1
5	71989-A	PLATE—back	1
6	72133	CLAMP	1
7	81109	NUT—10-32 flex. lock	1
8	83009	WASHER—1/4 lock	3
9	71488	GROMMET	1
10	80055	SCREW—1/4-20 x 3/4 fil. hd.	1
11	71349	KEY—cam	1
12	72126	CAM	1
13	19797	KEY—rotor	1
14	60407	WASHER—spring	1
15	72129	ROTOR	1

Index No.	Part No.	Description	No. Required
16	80161	SCREW—1/4-20 x 1 1/8 fil. hd.	2
17	AA-72394	STATOR—magneto (see inset)	1
		Includes	
18	28008	LOCK—spring	1
19	72395	PLATE & CORE	1
20	72397	COIL—magneto	1
21	84061	WASHER—breaker arm	as req
22	72486	SCREW—(w/washer)	3
23	72484	WASHER—contact plate	1
24	72398	POINTS—(set)	1
		Includes	
25	30267	WICK—felt	1
26	72396	CONDENSER	1
27	AA-72399	LEAD—ground	1
28	AA-72400	LEAD—high tension	1

HOMELITE CHAIN SAW MODEL 8-29




FIGURE 3 — FUEL TANK

SEPT. 1958

Index No.	Part No.	Description	No. Required
1	A-55305	FUEL CAP	1
		Includes	
2	72173	GASKET—fuel cap	1
3	A-55301-B	VALVE—relief	1
4	83083	WASHER—#3 lock	3
5	80592	SCREW—3-48 x 1/4	3
6	A-74498	FUEL TANK	1
	77286-A	DECAL—8-29 (top of tank)	1
	77289-A	DECAL—8-29 (side of tank)	1
7	80571	SCREW—6-32 x 3/8 pan hd.	4
8	AA-71655-1	OIL CAP	1
		Includes	
	72280	GASKET	1
9	71551	GASKET—lubricator cover	1
10	80583	SCREW—10-32 x 3/4 pan hd.	1
11	A-56200	STRAINER—outlet (w/brass nail)	1
		Includes	
	74374	FILTER—felt	1
	56196	BUMPER—rubber	2
12	55805	SLEEVE—flexible	1
13	72174	GASKET—outlet fitting	1
14	80451	SCREW—6-32 x 3/8 flat hd.	4

Index No.	Part No.	Description	No. Required
15	55738	VALVE—shut-off	1
16	74919	FUEL LINE—(to fuel pump inlet)	1
17	A-74704	FITTING—outlet (w/tube)	1
18	80572	SCREW—10-32 x 5/8 pan hd.	2
	AA-72177-1	OIL PUMP—(see inset at left)	1
		Includes	
19	AA-72178	TUBE and SCREEN	1
20	73693	SLEEVE—rubber	1
21	31733-1	ADAPTER—straight	1
22	31734	CONNECTOR—90° elbow	2
23	25527	BALL—check	2
24	71760	SPRING—check valve	2
25	71761	BODY—pump	1
26	71759	SCREW—plug	1
27	71762	SPRING—plunger	1
28	A-74406	TUBE—plunger w/74388 "o" ring	1
29	71765	ADAPTER—connector	1
30	71764	BUTTON—plunger	1
31	31733-1	ADAPTER—straight (to oil line)	1
32	31734	CONNECTOR—90° elbow	1
33	72681	PLATE—pump locking	1
34	71550	COVER—lubricator body	1

HOMELITE CHAIN SAW MODEL 8-29




FIGURE 4 — PISTOL GRIP

SEPT. 1958

Index No.	Part No.	Description	No. Required
1	80633	SCREW—8-32 x 2 spinlock	3
2	A-74491	COVER—air filter (includes gasket)	1
	74492	GASKET—air filter cover	1
3	A-74490	FILTER—air	1
		Includes	
4	72967	GASKET—air filter	2
5	AA-73410	GRIP—pistol	1
6	AA-73392	ROD—choke	1
7	S-1007-1	GROMMET	1
8	AA-73055	TRIGGER—throttle	1
9	AA-73056	COVER—pistol grip	1
		Includes	
10	AA-73448	LOCK—throttle	1
		Includes	
	72970	SPRING—throttle lock	1

Index No.	Part No.	Description	No. Required
11	80560	SCREW—8-32 x 1/2	5
12	A-73804	SHAFT—throttle	1
13	80581	SCREW—1/4-20 x 5/8 hex. hd.	2
14	72859	GUARD—carburetor	1
15	80180-1	BOLT—1/4-20 x 1 1/2 hex. hd.	1
16	83009	WASHER—1/4 lock	1
17	81013	NUT—1/4-20 hex.	1
18	83000	WASHER—#8 lock	2
19	80023	SCREW—8-32 x 5/8 fl. hd.	2
20	72971	GASKET—carburetor intake	1
21	80566	SCREW—10-32 x 7/8 hex. hd.	2
22	83046	WASHER—#10 lock	2
23	72856-1	ELBOW—air cleaner	1
24	72995	GASKET—air elbow	1

HOMELITE CHAIN SAW MODEL 8-29




FIGURE 5 — TILLOTSON CARBURETOR PARTS

Index No.	Part No.	Description	No. Required	Index No.	Part No.	Description	No. Required
	A-74576	CARBURETOR (Till, Model HP 198)	1	32	†28130	WASHER—flat	1
		Includes			†73078	NEEDLE and SEAT	1
1	†71519	SCREW—throttle	1	33	55344	GASKET	1
2	73272	SHUTTER—throttle	1	34	*	SEAT	1
3	73067	SCREW—plug	1	35	*	NEEDLE	1
4	†60051	BALL—check	1	36	†73079	LEVER—inlet control	1
5	†73424	SEAT—idle check valve	1	37	73071	GASKET—main diaphragm	1
6	71516	SCREW—plug	2	38	†73070	DIAPHRAGM—main	1
7	†AA-73615	SCREW—(includes copper washers)	1	39	74864-1	COVER—diaphragm	1
	73616	WASHER—(Included with index No. 7)	2	40	†74865	DIAPHRAGM—fuel pump	1
8	71494	PIN—choke friction	1	41	74962	GASKET—fuel pump	1
9	73264	SPRING—choke friction	1	42	A-77134	BODY—fuel pump	1
10	73077	SCREEN—inlet connection	1			Includes	
11	73266	GASKET—inlet	1	43	†74867	SCREEN—fuel inlet	1
12	72812	BUSHING	2	44	74917	ELBOW—fuel inlet connection	1
13	A-73763-A	SUPPLY LINE—(pump to carb, inlet)	1	45	†55316	SCREW—long, with washer	6
14	S-740	ELBOW	1	46	A-73765-A	*LINE—activator (from crankcase)	1
15	73831	SHAFT—throttle	1	47	73865	ELBOW—45°	2
16	†73832	LEVER—throttle shaft	1	48	†73082	SPRING—inlet control	1
17	†83008	WASHER—lock	2	49	†73085	SCREW	1
18	†71521	SCREW	1	50	73425	GASKET	1
19	†28048	SCREW—set	1	51	†73084	NOZZLE—main	1
	AA-73269	SCREW—main adjusting	1	52	74060	GASKET	1
		Includes		53	73423	LEVER—choke	1
20	†73083	SCREW	1	54	73086	CLIP	1
21	28058	NUT	1	55	83000	WASHER—lock	1
22	15037	PACKING	1	56	73088	SCREW	1
23	28057	GLAND	1	57	†71509	SCREW—idle stop	1
24	28055	GASKET	1	58	†28064	SPRING—idle stop	1
25	80012	SCREW—choke shutter	1	59	†71521	SCREW—(same as index No. 18)	1
26	74718	SHUTTER—choke	1	60	71520	LEVER—throttle stop	1
27	73268	GASKET	1	61	†71518	SPRING—throttle retaining	1
28	†73080	SCREW	1	62	73427	PIN—throttle stop	1
29	73267	CAP	1	63	†77126	GASKET SET	1
30	†73074	SCREW	1	64	77125	KIT—repair parts	1
31	†73075	SPRING	1				

* Not sold separately

† Included in 77125 repair parts kit

** Not a part of Carburetor A-74576

HOMELITE CHAIN SAW MODEL 8-29




FIGURE 6 — BROWN CARBURETOR PARTS

SEPT. 1958

Index No.	Part No.	Description	No. Required	Index No.	Part No.	Description	No. Required
	A-74866	CARBURETOR (Brown Model 1-C5)	1			Includes	
		Includes		21	†74977	PLUG—Welch	1
1	A-74992	SHAFT & LEVER — choke	1	22	†74978	PLUG—Welch	1
2	‡77042	SCREW—stop lever, 4-40 x 1/4 truss hd.	1	23	77040	SCREW—idle stop, 6-32 x 3/16 rd. hd.	1
3	74989	LEVER—throttle stop	1	24	77011	CUP—idle stop screw	1
4	‡74990	SPRING—throttle return	1	25	77010	SPRING—idle stop screw	1
5	74980	SHUTTER—throttle	1	26	74991	SHUTTER—choke	1
6	77044	SCREW—shutter	2	27	77017	SPRING—choke friction	1
7	†A-77012	PIN—inlet control lever	1	28	77018	PIN—choke friction	1
8	‡74981	CLIP—throttle shaft	1	29	†77015	SPRING—tension	1
9	‡77041	SCREW—6-32 x 1/4 pan hd.	1	30	†77016	LEVER—inlet control	1
10	A-74983	SHAFT & LEVER—throttle	1	31	†77030	GASKET—main diaphragm	1
		Includes		32	†A-77236	DIAPHRAGM—main	1
11	77045	SCREW—swivel, 6-32 x 1/4 rd. hd.	1	33	A-77037	LINE—activator (not part of A-74866 Carburetor)	1
12	‡77004	CLIP—spring retaining	2	34	77024	COVER—main diaphragm	1
13	†A-77251	SCREW—idle adjustment (includes 77004 clip)	1	35	†77025	GASKET—pump body	1
14	‡77005	SPRING—adjustment screw	2	36	†77026	DIAPHRAGM—pump	1
15	‡77006	WASHER—flat	2	37	77027	BODY—fuel pump	1
16	‡77007	RING—square	2	38	77160	SCREW—body, 6-32 x 3/4 pan hd.	6
17	‡77267	GASKET—copper	2	39	†77028	SCREEN—fuel inlet strainer	1
18	†A-77001	SCREW—main adjustment (includes 77004 clip)	1	40	†77029	GASKET—strainer	1
19	†A-74996-A	NEEDLE & SEAT—inlet (includes 77267 gasket)	1	41	77031	COVER—fuel pump	1
20	A-77060	BODY—service	1	42	77043	SCREW—turret, 8-32 x 7/16 truss hd.	1
				43	77033	KIT—repair parts (RK-150)	1
				44	†77032	GASKET SET (GS-150)	1

† Included in 77032 Gasket Set.

‡ Included in 77033 Repair Parts Kit.

Always furnish saw model and serial number when ordering parts

HOMELITE CHAIN SAW MODEL 8-29




FIGURE 7 — ENGINE

SEPT. 1958

Index No.	Part No.	Description	No. Required
1	80057	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{8}$ pan hd.	3
2	80579	SCREW—10-32 x $\frac{3}{8}$ pan hd.	1
3	73751	DAMPER—heat	1
4	A-73757	MUFFLER	1
		Includes	
5	80571	SCREW—6-32 x $\frac{3}{8}$ pan hd.	4
6	73753	CAP—muffler	1
7	73756	RETAINER (outer)	1
8	73754	ELEMENT—muffler	1
9	73755	RETAINER (inner)	1
10	72858	SPARK PLUG—Champion HO-3 (w/gasket)	1
11	25038	GASKET (included with spark plug)	1
12	A-74472	CYLINDER	1
13	25412	NUT— $\frac{3}{16}$ 24 hex.	4
14	83042	WASHER— $\frac{5}{16}$ Lock	4
15	74139	GASKET—cylinder	1
16	74626-1	RING—piston	3
17	A-74705	PISTON and PIN	1
		Includes	
18	25502	RING—snap	2
	A-74552-A	ROD—connecting	1
		Includes	
19	71167	BEARING—piston pin	1
20	80492	SCREW—10-32 x $\frac{1}{2}$ Allen cap	2
21		ROD (includes cap)	1
22	19238-A	SCREW—main bearing retaining	2
23	83061	WASHER—lock (special thin)	2
24	71106	GASKET—sealing	1
25	A-74706	CRANKCASE—rear half	1
		Includes	

Index No.	Part No.	Description	No. Required
26	72787	STUD	2
27	72413	SEAL—garlock	1
28	55871	STUD	1
		PIN—dowel	5
29	80181-1	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{8}$ hex. hd.	7
30	83009	WASHER— $\frac{1}{4}$ lock	11
31	81114	NUT— $\frac{1}{4}$ -28 flex-lock	2
32	50033	RING—retaining	1
33	71164-A	BEARING—main	1
34	A-77159	CRANKSHAFT	1
35	AA-72206	ROLLERS (set of 31 needles)	1
36	A-6051	GOVERNOR	1
	A-77127	CRANKCASE (front half)	1
		Includes	
37	72767-A	PLATE—intake valve	1
38		CRANKCASE	1
39	55871	STUD (same as index No. 29)	1
40	73557	BEARING—needle	2
41	71110	SEAL—garlock	1
42	72787	STUD (same as index No. 27)	2
		PIN—dowel	2
43	†73865	ELBOW—activator line (illustrated)	1
	‡77034	ADAPTER—activator line (not shown)	1
44	81013	NUT— $\frac{1}{4}$ -20 hex	2
45	27464	STUD	2
46	74386-A	MANIFOLD—intake	1
47	80447-1	SCREW— $\frac{1}{4}$ -20 x $1\frac{1}{8}$ hex hd.	1
48	80218-1	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{4}$ hex hd.	1
49	72969	GASKET—intake manifold	1
50	73460-A	GASKET—carburetor flange	1

* Not sold separately

† Fits activator line for Tillotson carburetor only.

‡ Used in place of index No. 44 for Brown carburetor only.

HOMELITE CHAIN SAW MODEL 8-29




FIGURE 8 — DRIVE CASE

SEPT. 1958

Index No.	Part No.	Description	No. Required	Index No.	Part No.	Description	No. Required
1	72514	BEARING	3		††73252-1	SPROCKET— $\frac{1}{2}$ "-8 tooth	1
2	81101	NUT	2	15	73253	FLANGE—sprocket, outer	1
3	71193-B	WASHER—flat $\frac{1}{2}$	1	16	73254-A	SPACER—sprocket	2
4	73131	COVER—clutch	1	17		DRIVE CASE (See Figure 9 for breakdown)	1
5	73215	KEY— $\frac{3}{16}$ sq. x $\frac{7}{16}$	3	18	72328	BEARING (small)	1
	AA-73213	CLUTCH	1	19	71819-B	SPACER—sprocket shaft bearing	1
		Includes		20	31080	RING—retaining	1
6	73064	SPIDER	1	21	77283	BELT—drive	1
7	73063	SHOE	6	22	77282	PULLEY—sprocket	1
8	73214	SPRING	2	23	71817-C	SHAFT—sprocket	1
9	A-77284	DRUM—clutch (includes sprocket)	1	24	80659	SCREW—12-28 x $\frac{1}{2}$ Allen flat hd.	4
10	73045	SPACER	1	25	AA-73217	COVER—drive case	1
11	83009	WASHER— $\frac{1}{4}$ lock	4			Includes	
12	80218-1	SCREW— $\frac{1}{4}$ -20 x $\frac{3}{4}$ hex. hd.	4	26	72195-D	GASKET—drive case cover	1
13	73771	FLANGE—sprocket, inner	1	27	80568	SCREW—8-32 x $\frac{7}{8}$ pan hd.	7
14	†73860	SPROCKET— $\frac{7}{16}$ "-7 tooth	1				

† For use with #4 chain

†† For use with #10 chain

HOMELITE CHAIN SAW MODEL 8-29




FIGURE 9 — SAW END GROUP

SEPT. 1958

Index No.	Part No.	Description	No. Required	Index No.	Part No.	Description	No. Required
1	81102	NUT— $\frac{5}{16}$ -18	1			Includes	
2	80573	SCREW— $\frac{1}{4}$ -20 x $1\frac{3}{8}$ hex. hd.	2		71946-A	BRACKET—tension adjusting	1
3	31734	ELBOW—connector	1		AA-72407	PLATE—adjusting (w/screw)	1
4	31733-1	ADAPTER—straight	1	17	72374	SHIM—guide bar	1
5	AA-72444	OIL LINE	1		**	PARTS GROUP (for short spike model 8-29)	
6	80087	SCREW— $\frac{5}{16}$ -18 x $1\frac{1}{2}$ hex. hd.	2			Includes	
7	83003	WASHER— $\frac{3}{16}$ lock	4	18	73420	PLATE—spiked bumper, short	1
8	A-73893	HANDLE	1	19	80087	SCREW (same as index No. 6)	2
9	A-74707	DRIVE CASE	1	20	83003	WASHER (same as index No. 7)	2
		Includes		21	72223	GUARD—handle	1
	74582	STUD—guide bar (shown assembled)	2		**	PARTS GROUP (for long spike model 8-29A)	1
10	74630	KEY—guide bar	1			Includes	
11	73048	SHIELD—sawdust	1	22	72739-A	PLATE—spiked bumper, long	1
12	80567	SCREW—8-32 x $\frac{3}{4}$	1	23	80197	SCREW— $\frac{5}{16}$ -18 x 2 hex. hd.	2
13	80560	SCREW—8-32 x $\frac{1}{2}$ pan hd.	1	24	83003	WASHER— $\frac{3}{16}$ (same as index No. 7)	2
14	81089	NUT— $\frac{3}{16}$ -16 hex. hd.	2	25	73281	SPACER—handle	1
15	83018	WASHER— $\frac{3}{16}$ lock	2	26	A-74201	BRACE—handle (w/screw and nut)	1
16	**	DEVICE—chain tension	1				

** Order individual pieces

HOMELITE CHAIN SAW MODEL 8-29




FIGURE 10 — STRAIGHT BLADE PARTS

SEPT. 1958

Index No.	Part No.	Description	No. Required
1	AA-72977	OREGON #4C, $\frac{3}{16}$ Pitch CHIPPER CHAIN	
	AA-72978	18" CHAIN w/kit	1
	AA-72979	23" CHAIN w/kit	1
	AA-72983	28" CHAIN w/kit	1
	AA-72981	33" CHAIN w/kit	1
	AA-72982	38" CHAIN w/kit	1
	AA-72982	42" CHAIN w/kit	1
	AA-72984	44" CHAIN w/kit	1
	AA-73564	50" CHAIN w/kit	1
	AA-73563	60" CHAIN w/kit	1
1	AA-73338	OREGON #10C, $\frac{1}{2}$ Pitch CHIPPER CHAIN	
	AA-73340	18" CHAIN w/kit	1
	AA-73342	23" CHAIN w/kit	1
	AA-73344	28" CHAIN w/kit	1
	AA-73346	33" CHAIN w/kit	1
	AA-73350	38" CHAIN w/kit	1
	AA-73350	44" CHAIN w/kit	1
	AA-73597	50" CHAIN w/kit	1
	AA-73598	60" CHAIN w/kit	1
2	A-74318	18" BAR—track hardened plus extra hard tip	1
	A-74323	23" BAR—track hardened plus extra hard tip	1
	A-74328	28" BAR—track hardened plus extra hard tip	1
	73330-1A	33" BAR—Oregon Otronic	1
	73332-1	38" BAR—extra hard tip	1

Index No.	Part No.	Description	No. Required
	73336-1	44" BAR—extra hard tip	1
	73565-1	50" BAR—extra hard tip	1
	73562-1	60" BAR—extra hard tip	1
	AA-72973	KIT—#4C Chain repair (packaged with chain)	1
		Includes	
3	72597-2	CUTTER—right	1
4	72595	LINK—connecting (plain)	2
5	72974	LINK—drive	1
6	AA-73603	LINK—connecting, w/rivets	2
7	72979-1	CUTTER—left	1
8	72959	RIVET	4
	AA-73314	KIT—10C Chain repair (packaged with chain)	1
		Includes	
3	72964	CUTTER—right	1
4	72960	LINK—connecting (plain)	2
5	73383	LINK—drive	1
6	AA-72961	LINK—connecting, w/rivets	2
7	72963	CUTTER—left	1
8	72959	RIVET	4
9	22808	WRENCH—combination	1
	22670	FILE HOLDER— $\frac{1}{2}$ " pitch	1
		Includes	
	22676-2	FILE— $\frac{1}{4}$ " round	1
	22944	FILE HOLDER— $\frac{3}{16}$ " pitch	1
		Includes	
	22970	FILE— $\frac{3}{32}$ " round	1

HOMELITE

Authorized Sales and Service Branches

Homelite sales and service factory branches are located throughout the country. Field representatives and factory-trained servicemen are always available, ready and able to keep your Homelites running in top performance at all times. See the "Yellow Pages" for the address and phone number of your nearest Homelite Branch office.

Alabama
Birmingham

California
Alhambra (Los Angeles area)
Fresno
Sacramento
S. San Francisco

Colorado
Denver

Connecticut
Byram
Hartford

Florida
Jacksonville
Miami

Georgia
Atlanta

Illinois
Bloomington
Springfield
Stone Park (Chicago area)

Indiana
Indianapolis

Louisiana
Bossier City
Metairie

Maine
Orono

Maryland
Baltimore

Massachusetts
Allston (Boston area)

Michigan
Detroit
Esconaba
Grand Rapids
Saginaw

Minnesota
St. Paul

Mississippi
Jackson

Missouri
Kansas City
St. Louis

Nebraska
Omaha

New Jersey
North Arlington
Woodbridge

New York
Buffalo
Latham (Albany area)
Rochester
Syracuse

North Carolina
Charlotte
Raleigh

Ohio
Cincinnati
Cleveland
Toledo

Oklahoma
Oklahoma City

Oregon
Portland

Pennsylvania
Alltoona
Erie
Harrisburg
Hazleton
Malvern
Philadelphia
Pittsburgh

Tennessee
Knoxville
Memphis

Texas
Cleveland
Dallas
Houston
Lufkin
Silsbee

Utah
North Salt Lake

Virginia
Arlington
Richmond
Roanoke

Washington
Seattle
Spokane

West Virginia
Charleston
Clarksburg

Wisconsin
Milwaukee
Green Bay

DOMINION OF CANADA TERRY MACHINERY CO., LTD.

Quebec
Montreal

Alberta
Edmonton
British Columbia
Vancouver

New Brunswick
Moncton

Ontario
Ottawa
Toronto

HOMELITE

a division of Textron Inc.
PORT CHESTER, N. Y., U. S. A.