

# McCulloch CHAIN SAWS

## Quality Saws for Every Purpose



### MAC 110

Improved  
Mini Mac 25

The Mac 110 is now more feature-packed, making operation even easier and safer than before. Just as with some of the larger saws in the line, the Mac 110 is outfitted with a wrap-around Chain Brake/Hand Guard. The Mac 110 also has as standard equipment automatic and manual bar and chain oiling, muffler shield, chain catcher, throttle advance for easier starts and an improved muffler to reduce operating noise. The Mac 110 is certainly the small saw that doesn't act its size.

#### SPECIFICATIONS

Engine displacement: 1.8 cubic inches (30cc)  
Dry weight: 9.6 pounds (4.3 kg) complete with bar and chain  
Bar length and part number: 10" bar, P/N 90630  
Chain type and part number: MM 370G chain, P/N 90638N  
Muffler: Louvered type  
Ignition: high tension magneto  
Fuel mix: 40:1 with McCulloch custom lubricant and low lead grade gasoline  
Fuel capacity: 0.35 liters



### MAC 120

Improved  
Mini Mac 30

Equipped with the same rugged engine as the Mac 110, the Mac 120 has a greater cutting capacity with its 12" sprocket tip bar to handle logs up to 24" in diameter with ease. New on the Mac 120 are a muffler shield and chain catcher, a wrap-around Chain Brake/Hand Guard for added safety and hand protection and a throttle advance for easier starts. These and other premium McCulloch features such as automatic and manual oilers and an improved muffler give you more saw for your money.

#### SPECIFICATIONS

Engine displacement: 1.8 cubic inches (30cc)  
Dry weight: 9.7 pounds (4.4 kg) complete with bar and chain  
Bar length and part number: 12" sprocket tip, P/N 90549  
Chain type and part number: MM 370G, P/N 90639N  
Muffler: Louvered type  
Ignition: high tension magneto  
Fuel mix: 40:1 with McCulloch custom lubricant and low lead grade gasoline  
Fuel capacity: 0.35 liters



### MAC 130

Improved  
Mini Mac 35

A step up in power, the Mac 130 is versatile with its 2.0 cubic inch engine. Friction-reducing 14" sprocket tip bar enables the Mac 130 to cut logs up to 28" in diameter in two passes. Tackle bigger jobs quickly with the Mac 130 now equipped with muffler shield, chain catcher and wrap-around Chain Brake/Hand Guard, all for added safety. As with other quality McCulloch chain saws, the Mac 130 is equipped with automatic and manual oiling, throttle advance for easy starts and an improved muffler to maximize noise reduction.

#### SPECIFICATIONS

Engine displacement: 2.0 cubic inches (32cc)  
Dry weight: 10 pounds (4.6 kg) complete with bar and chain  
Bar length and part number: 14" sprocket tip, P/N 90550  
Chain type and part number: MP 370G, P/N 90643N  
Muffler: Louvered type  
Ignition: high tension magneto  
Fuel mix: 40:1 with McCulloch custom lubricant and low lead grade gasoline  
Fuel capacity: 0.35 liters



### MAC 140

Improved  
Mini Mac 35AS

With the displacement of the Mac 130, the Mac 140 adds the benefit of Auto-Sharp, the money-saving device that lets you sharpen the chain automatically by simply pressing a button. The Mac 140 was the saw equipped with a combination of features not available on any saw, at any price. Now with the addition of other features such as a throttle advance for easy starts, muffler shield and chain catcher plus a quieter muffler and wrap-around Chain Brake/Hand Guard, the Mac 140, more than ever, is the only saw with so many features as standard equipment. You can't buy another chain saw with all these features at any price.

#### SPECIFICATIONS

Engine displacement: 2.0 cubic inches (32cc)  
Dry weight: 10.1 pounds (4.6 kg) complete with bar and chain  
Bar length and part number: 14" sprocket tip, P/N 90550  
Chain type and part number: Auto-Sharp 370G, P/N 92600N  
Muffler: Louvered type  
Ignition: high tension magneto  
Fuel mix: 40:1 with McCulloch custom lubricant and low lead grade gasoline

## NOW WITH ELECTRONIC IGNITION



### POWER MAC 6

The favorite of tree service professionals, the Power Mac 6 is packed with features and yet weighs less than ten pounds complete with bar and chain. The design of the Power Mac is one that puts the accent on excellent balance and maneuverability for ease of operation in any cutting position. Automatic oiling and manual override, all weather ignition and Chain Brake/Hand Guard combine with the cutting capacity of a 14" sprocket tip bar to make the Power Mac 6 one of the most popular and easiest to use chain saws you can buy.

#### SPECIFICATIONS:

Engine displacement: 2.0 cubic inches (32cc)  
Dry weight: 9.4 pounds (4.3 kg) complete with bar and chain  
Bar length and part number: 14" sprocket tip, P/N 90550  
Chain type and part number: MP 370G, P/N 90643N  
Muffler: Louvered type  
Ignition: high tension magneto  
Fuel mix: 40:1 with McCulloch custom lubricant and low lead grade gasoline  
Fuel capacity: 0.26 liters



### PRO MAC 510

Improved  
Super Pro 40

Another step up in power plus the addition of McCulloch's professional features make the Pro Mac 510 a powerful lightweight saw; just 12.0 pounds complete with bar and chain. Our patented anti-vibration system, a safety trigger, and an improved muffler for operating noise reduction, are the kinds of features the pros look for in a saw. You can find them all on the Pro Mac 510 plus automatic and manual oiling, wrap-around Chain Brake/Hand Guard, muffler shield and chain catcher . . . a tough saw for tough cutting jobs.

#### SPECIFICATIONS

Engine displacement: 2.3 cubic inches (38cc)  
Dry weight: 12.1 pounds (5.5 kg) complete with bar and chain  
Bar length and part number: 16" sprocket tip, P/N 91615  
Chain type and part number: SM250GL guard link chain, P/N 92622N  
Muffler: Louvered type  
Ignition: high tension magneto  
Fuel mix: 40:1 with McCulloch custom lubricant and low lead grade gasoline  
Fuel capacity: 0.35 liters



### PRO MAC 10-10

Improved  
Pro 10-10

The ideal tool for any use, home, farm, or forest, the Pro Mac 10-10 is packed with features that can handle the kinds of cutting jobs that have made over one million owners satisfied. Now the Pro Mac 10-10 has the features that give you more saw for your money. Chain Brake/Hand Guard, muffler shield, throttle advance for easy starting integral with a safety trigger and automatic oiling with manual override, are just some of the features that make the Pro Mac 10-10 a saw that can work longer and harder than you.

#### SPECIFICATIONS

Engine displacement: 3.3 cubic inches (54cc)  
Dry weight: 16.8 pounds (7.6 kg) complete with bar and chain  
Bar length and part number: 16" sprocket tip, P/N 91090-A  
Chain type and part number: PM 370G, P/N 88167N  
Muffler: Louvered type  
Ignition: capacitor discharge  
Fuel mix: 40:1 with McCulloch custom lubricant and low lead grade gasoline  
Fuel capacity: 0.71 liters

## NOW WITH ELECTRONIC IGNITION



### PRO MAC 555

Improved  
Pro Mac 55

The addition of McCulloch's newest features make the Pro Mac 555 an even greater value than before. Chain Brake/ Hand Guard , DSP, safety trigger plus automatic and manual oiling were just some of the reasons why the Pro Mac 555 was the choice of professional cutters. Now, for added safety the Pro Mac 555 has a protective muffler shield, and louver type muffler to make the Pro Mac 555 one of the best combinations of power, weight and features available in its price range.

#### SPECIFICATIONS

Engine displacement: 3.5 cubic inches (57cc)  
Dry weight: 13.8 pounds (6.2 kg) power unit only  
Bar and chain: your choice of McCulloch bars and chains  
Muffler: louver type  
Ignition: capacitor discharge  
Fuel mix: 40:1 with McCulloch custom lubricant and low lead grade gasoline  
Fuel capacity: 0.71 liters



### PRO MAC 700

Improved  
7-10 Automatic

Equipped with features that are often optional equipment on comparable saws, the Pro Mac 700 also has the safety and dependability that pros insist upon. New on the Pro Mac 700 is electronic ignition for better starts and more economical operation as well as additional safety features like a protective muffler shield. Combine that with other standard features such as DSP, a deluxe muffler and, like all other saws in the line, Chain Brake/ Hand Guard and both automatic and manual oiling, and it's no wonder that the Pro Mac 700 is so popular among the pros who cut with it.

#### SPECIFICATIONS

Engine displacement: 4.3 cubic inches (70cc)  
Dry weight: 14.4 pounds (6.5 kg) power unit only  
Bar and chain: your choice of McCulloch bars and chains  
Muffler: deluxe Sound Silencer  
Ignition: capacitor discharge  
Fuel mix: 40:1 with McCulloch custom lubricant and low lead grade gasoline  
Fuel capacity: 0.71 liters



### PRO MAC 850

Improved  
Super Pro 81E

Professional woodcutters need a powerful, dependable chain saw and the Pro Mac 850 with more standard features than ever before is increasingly the choice of pros across the country. At the top of the line, the Pro Mac 850 comes complete with electronic ignition, an anti-vibration system and an array of safety features including a protective muffler shield, safety trigger, chain catcher, McCulloch Chain Brake/ Hand Guard and a boot loop for starting stability. Engineering features for easy starting and faster cutting complete the list of qualifications of the Pro Mac 850 so that it meets the most demanding requirements of the professional logger.

#### SPECIFICATIONS:

Engine displacement: 5.0 cubic inches (82cc)  
Dry weight: 17.2 pounds (7.8 kg) power unit only  
Bar and chain: your choice of McCulloch bars and chains  
Muffler: deluxe Sound Silencer  
Ignition: capacitor discharge  
Fuel Mix: 40:1 with McCulloch custom lubricant and low lead grade gasoline  
Fuel capacity: 0.75 liters

# PORTABLE POWER

## COMMON FEATURES:

- Dependable four cycle Briggs and Stratton engines
- Easy spin rewind starting
- Fused for overload protection
- Low tone muffler
- 3600 RPM operating speed
- Self-contained fuel tank
- Vibration isolation mounting for operating stability
- 60 cycle AC voltage output
- Permanent magnet design increases durability in all weather
- Improved protective cradle
- Liquid propane conversion kits available for each model



## RA 120

### SPECIFICATIONS

Wattage capacity: 1200  
Voltage: 110  
Amperage: 10.9  
Horsepower: 3  
Dry weight: 67 pounds  
Dimensions: 15" L x 17 1/4" W x 20 1/2" H

Features and specifications subject to change without notice or obligation in line with McCulloch's policy of continued product improvement.



## RA 150

### SPECIFICATIONS

Wattage capacity: 1500  
Voltage: 110  
Amperage: 13.7  
Horsepower: 4  
Dry weight: 85 pounds  
Dimensions: 23" L x 18 1/2" W x 18" H



## RA 200

### SPECIFICATIONS

Wattage capacity: 2000  
Voltage: 110  
Amperage: 18.2  
Horsepower: 5  
Dry weight: 91 pounds  
Dimensions: 23" L x 18 1/4" W x 18" H



## RA 330\*

### SPECIFICATIONS

Wattage capacity: 3300  
Voltage: 110/220  
Amperage: 30/15  
Horsepower: 8  
Dry weight: 126 pounds  
Dimensions: 25 1/2" L x 19" W x 21 1/4" H

\* Available with 12 volt electric starter.



# McCULLOCH CORPORATION

Line Anaheim California 92700 • Mexico • Ontario Canada