


McCULLOCH®

PRO-MAC® 8200



The Pro Mac 8200 Chain Saw is the choice for the professional logger faced with the biggest trees and toughest of conditions. This powerful 82cc, 5.0 ci engine, features our silicon piston for greater strength and wear resistance and has the muscle and agility to meet your toughest job requirements. To reduce the fatigue of a hard day's labor, the Pro Mac 8200 is equipped with shock mount anti-vibration system. Plus, every Pro Mac is built and backed by McCulloch, a name you know and trust.

Operator safety is the highest priority at McCulloch. Each Pro Mac is equipped with state-of-the-art safety performance features that have made McCulloch the leader in safety. Standard features on every saw, including Chain Brake®/Hand Guard, Chain Catcher, Throttle Latch, Spark Arrestor Screen, Safety Trigger, and Muffler Shield give the user the ability to operate with confidence. The Pro Mac 8200 Chain Saw... designed to work hard and engineered for safety.

Specifications

Pro Mac	8200AV
Displacement C.I.D. (cc)	5.0 (82cc)
Bore and Stroke (inches)	2.062x 1.500
Cylinder Bore	Hard Chrome
Bar Length	16"-33"
Dry Weight Bar & Chain (lbs)	P.U.O. 17.5
Automatic Oiler	Yes
Manual Oiler	Yes
Oil Tank Capacity Fl. Oz.	9.6
Fuel Tank Capacity Fl. Oz.	25.6
Carton Size	18 1/2" x 12 1/2" x 13 1/2"
Cubic Feet	1.8
UPC Code	0-4572202428-6
Product Number	13600072-06

5.0 Cubic Inch Engine (82cc)
handles tough jobs with ease

Hard Chrome Plated Cylinder
runs cooler for longer engine life and less friction

Shock Mount Anti-Vibration System
absorbs shock and reduces operator fatigue

Chain Brake®/Hand Guard
reduces the possibility of kickback injury by stopping the chain in milliseconds

Chain Catcher
reduces hazard from chain breaking or derailing from bar

Automatic and Manual Chain Oilers
provide proper lubrication in all cutting situations

Safety Trigger
prevents accidental acceleration

Spark Arrestor Screen
reduces fire hazard

Throttle Latch
advances throttle opening for safer, easier starts

High Silicon Piston
for greater strength and wear resistance

2 Bar Mounting Studs
hold bar securely

16"-33" Pro Bars
available in solids with stellite hard-facing on nose or replaceable sprocket nose

Electronic Ignition
for quick starts

Foot Plate/Right Hand Guard
provides better balance and control

Bucking Spike
for added leverage and control


Muffler Shield
protects operator



Optional Kits:
Full Wrap Handle Kit P/N 300708
Heat Shield Kit P/N 300715

McCULLOCH

PRO-MAC[®] 3205AV-14



Lightweight, yet powerful, the Pro Mac 3205AV Chain Saw is designed to handle a variety of cutting jobs around the yard. The 32cc engine delivers plenty of power for trimming trees or light carpentry. McCulloch's Pro Mac Series comes packed with many features you would pay extra for on other saws. Plus every Pro Mac is built and backed by McCulloch, a name you know and trust.

state-of-the-art safety performance features that have made McCulloch the leader in safety. Standard features on every saw, including Chain Brake[®]/Hand Guard, Chain Catcher, Throttle Latch, Spark Arrestor Screen, Safety Trigger, Muffler Shield, and Low Kickback Chain, give the user the ability to operate with confidence. The Pro Mac 3205AV Chain Saw . . . designed to work hard and engineered for safety.

Operator safety is the highest priority at McCulloch. Each Pro Mac is equipped with

2.0 Cubic Inch Engine (32cc)
handles tough jobs with ease

Anti-Vibration System
absorbs shock and reduces operator fatigue

Primer Carburetor
for fast, easy starts

3 Position Choke
enhances starting

Throttle Latch
advances throttle opening for safer, easier starts

Electronic Ignition
for quick starts

Gear Driven Automatic Chain Oiler
delivers even flow to bar and chain

Hard Chrome Plated Cylinder
runs cooler for longer engine life and less friction

Low Kickback Chrome Chain (MP370GLX)
helps reduce the possibility of kickback

Chain Brake[®]/Hand Guard
reduces the possibility of kickback injury by stopping the chain in milliseconds


Safety Trigger
prevents accidental acceleration

Chain Catcher
reduces hazard from chain breaking or derailing from bar

Muffler Shield
protects operator

Spark Arrestor Screen
reduces fire hazard

2 Bar Mounting Studs
hold bar securely




Specifications

Pro Mac	3205AV
Displacement C.I.D. (cc)	2.0 (32cc)
Bore and Stroke (Inches)	1.430x 1.200
Cylinder Bore	Hard Chrome
Bar Length	14"
Dry Weight Bar & Chain (lbs)	10.8
Automatic Oiler	Yes
Manual Oiler	No
Oil Tank Capacity Fl. Oz.	6.1
Fuel Tank Capacity Fl. Oz.	10.5
Carton Size	17 1/2" x 12 1/2" x 11 1/2"
Cubic Feet	1.5
UPC Code	0-4572202523-0
Product Number	11600032-10

© 1993 by McCulloch Corporation

Item	Part Number
14" Chain	214919-12
14" Bar	222915-02
Spark Plug	301149
Air Filter	300985
Fuel Cap	300986
Oil Cap	300990
Blocking Spike	300985
Scrench	214219-01
File Plate	219131-01
3/32" Round File	214217-01
Carry Case	300987
Spark Arrestor Screen	301098

McCulloch's complete line of replacement bars and chains, maintenance tools and lubricants makes caring for your Pro Mac easy. Accessories are designed specifically for McCulloch products to ensure top performance and value.




14" Sprocket Tip Bar
increases cutting capacity and lengthens bar and chain life

Rear Mounted Handle
with foot plate/right hand guard provides better balance and control

1 YEAR LIMITED WARRANTY

McCULLOCH®

PRO-MAC® 3505AV-16



Many operators need a light duty gas chain saw that's built tough, with safety and performance features common to heavy duty models. The Pro Mac 3505AV Chain Saw meets this need. This lightweight yet powerful saw is designed for a variety of cutting jobs around the yard from pruning and trimming trees to completing a do-it-yourself carpentry project. Plus, every Pro Mac is built and backed by McCulloch, a name you know and trust.

state-of-the-art safety performance features that have made McCulloch the leader in safety. Standard features on every saw, including Chain Brake®/Hand Guard, Chain Catcher, Throttle Latch, Spark Arrestor Screen, Safety Trigger, Muffler Shield, and Low Kickback Chain, give the user the ability to operate with confidence. The Pro Mac 3505AV Chain Saw . . . designed to work hard and engineered for safety.

Operator safety is the highest priority at McCulloch. Each Pro Mac is equipped with

2.1 Cubic Inch Engine (35cc)
handles tough jobs with ease.

Anti-Vibration System
absorbs shock and reduces operator fatigue

Electronic Ignition
for quick starts

Gear Driven Automatic Chain Oiler
delivers even flow to bar and chain

Hard Chrome Plated Cylinder
runs cooler for longer engine life and less friction

Low Kickback Chrome Chain (MP370GLX)
helps reduce the possibility of kickback

Chain Brake®/Hand Guard
reduces the possibility of kickback injury by stopping the chain in milliseconds

3 Position Choke
enhances starting

Primer Carburetor
for fast, easy starts


Chain Catcher
reduces hazard from chain breaking or derailing from bar

Muffler Shield
protects operator

Spark Arrestor Screen
reduces fire hazard

2 Bar Mounting Studs
hold bar securely


Safety Trigger
prevents accidental acceleration



Specifications

Pro Mac	3505AV
Displacement C.I.D. (cc)	2.1 (35cc)
Bore and Stroke (inches)	1.496x 1.200
Cylinder Bore	Hard Chrome
Bar Length	16"
Dry Weight Bar & Chain (lbs)	11.8
Automatic Oiler	Yes
Manual Oiler	No
Oil Tank Capacity Fl. Oz.	6.1
Fuel Tank Capacity Fl. Oz.	10.5
Carton Size	17 3/4" x 12 1/2" x 11 1/2"
Cubic Feet	1.5
UPC Code	0-457202530-6
Product Number	11600035-04

© 1993 by McCulloch Corporation



Item	Part Number
16" Chain	214925-12
16" Bar	222916-01
Spark Plug	301149
Air Filter	300985
Fuel Cap	300986
Oil Cap	300990
Bucking Spike	300989
Scraper	214219-01
File Plate	219131-01
5/32" Round File	214217-01
Carry Case 16"	300987
Spark Arrestor Screen	301098

McCulloch's complete line of replacement bars and chains, maintenance tools and lubricants makes caring for your Pro Mac easy. Accessories are designed specifically for McCulloch products to ensure top performance and value.



16" Sprocket Tip Bar
increases cutting capacity and lengthens bar and chain life


Rear Mounted Handle
with foot plate/right hand guard provides better balance and control

Throttle Latch
advances throttle opening for safer, easier starts



McCULLOCH

PRO-MAC[®] 3805AV-18



Pro Mac 3805AV Chain Saws are well balanced, easy to maneuver saws powered by smooth running, durable engines. The increased power of the 38cc engine satisfies the tough requirements of the serious woodcutter. With power to spare, this saw will tackle everything from felling trees to cutting fence posts. Plus every Pro Mac is built and backed by McCulloch, a name you know and trust.

state-of-the-art safety performance features that have made McCulloch the leader in safety. Standard features on every saw, including Chain Brake[®]/Hand Guard, Chain Catcher, Throttle Latch, Spark Arrestor Screen, Safety Trigger, Muffler Shield, and Low Kickback Chain, give the user the ability to operate with confidence. The Pro Mac 3805AV Chain Saw . . . designed to work hard and engineered for safety.

Specifications

Pro Mac	3805AV
Displacement C.I.D. (cc)	2.3 (38cc)
Bore and Stroke (inches)	1.560x 1.200
Cylinder Bore	Hard Chrome
Bar Length	18"
Dry Weight Bar & Chain (lbs)	12.0
Automatic Oiler	Yes
Manual Oiler	No
Oil Tank Capacity Fl. Oz.	6.1
Fuel Tank Capacity Fl. Oz.	10.5
Carton Size	17 3/4" x 12 1/2" x 11 1/2"
Cubic Feet	1.5
UPC Code	0-457202531-3
Product Number	11600038-04

Operator safety is the highest priority at McCulloch. Each Pro Mac is equipped with

2.3 Cubic Inch Engine (38cc)
handles tough jobs with ease

Anti-Vibration System
absorbs shock and reduces operator fatigue

Primer Carburetor
for fast, easy starts

Safety Trigger
prevents accidental acceleration

Throttle Latch
advances throttle opening for safer, easier starts

Electronic Ignition
for quick starts


Gear Driven Automatic Chain Oiler
delivers even flow to bar and chain

Hard Chrome Plated Cylinder
runs cooler for longer engine life and less friction

Low Kickback Chrome Chain (MP370GLX) helps reduce the possibility of kickback

Chain Brake[®]/Hand Guard reduces the possibility of kickback injury by stopping the chain in milliseconds

3 Position Choke
enhances starting



Chain Catcher
reduces hazard from chain breaking or derailing from bar


Muffler Shield
protects operator

Spark Arrestor Screen
reduces fire hazard

2 Bar Mounting Studs
hold bar securely

Item	Part Number
18" Chain	219275-12
18" Bar	222917-01
Spark Plug	301149
Air Filter	300985
Fuel Cap	300986
Oil Cap	300990
Bucking Spike	300989
Scraper	214219-01
File Plate	219131-01
3/32" Round File	214217-01
Carry Case	300988
Spark Arrestor Screen	301088

McCulloch's complete line of replacement bars and chains, maintenance tools and lubricants makes caring for your Pro Mac easy. Accessories are designed specifically for McCulloch products to ensure top performance and value.



18" Sprocket Tip Bar
increases cutting capacity and lengthens bar and chain life


Rear Mounted Handle
with foot plate/right hand guard provides better balance and control



© 1993 by McCulloch Corporation

McCULLOCH

PRO-MAC[®] 4700/5000



The Pro Mac 4700 and 5000 Series saws are designed with the high quality engineering and durable construction you've come to expect from McCulloch. Each Pro Mac also offers the full benefits of McCulloch's advanced safety features to give the user the ability to operate with confidence.

La concepción de las tronconesas Pro Mac series 4700 et 5000, incorpore l'ingénierie de la plus grande qualité et la fabrication la plus robuste, ce que vous attendez toujours de McCulloch. Chaque produit Pro Mac offre également tous les avantages des caractéristiques de sécurité avancées de McCulloch, ce qui permet à l'utilisateur de l'employer en toute confiance.

Las sierras Pro Mac 4700 y 5000 están diseñadas con una elevada ingeniería y construcción durable, a lo que ha tenido acostumbrado McCulloch. Cada Pro Mac ofrece también grandes beneficios de las características de seguridad avanzadas de McCulloch para ofrecerle al usuario la capacidad de trabajar con confianza.

Specifications/Spécifications/Especificaciones

PRO MAC [®]	4700	5000
Engine cil (cc) Moteur Motor	2.8 (45cc)	3.0 (49cc)
Bore & Stroke (in.) Alésage et course (po) Calibre y Golpe (pulgadas)	1.693 x 1.26	1.740 x 1.26
Cylinder Bore Alésage du cylindre Calibre del Cilindro	Chrome Chrome Cromado	Chrome Chrome Cromado
Bar Length (in.) Longueur du guide chaîne (po) Longitud de la Barra (pulgadas)	16 18 20	16 18 20
Spark Plug (Champion) Bougie Bujía	DJ8J	DJ8J
P.U.O. Weight lbs. (kg) Poids (unité moins seulement) Peso P.U.O.	11.9 (5.4)	11.9 (5.4)
Chain Type Type de chaîne Tipo de Cadena	PMR 320 GLX	PMR 320 GLX
Oil Tank Capacity fl. oz. (ml) Capacité du réservoir de d'huile Capacidad de Tanque de Aceite	11.8 fl. oz. (349 ml)	11.8 fl. oz. (349 ml)
Fuel Tank Capacity fl. oz. (ml) Capacité du réservoir de carburant Capacidad de Tanque de Combustible	22.7 fl. oz. (671 ml)	22.7 fl. oz. (671 ml)
Carton Size (in.) Dimensions du cartonnage (po) Tamaño de Cartón (pulgadas)	23 1/4 x 12 1/2 x 13	23 1/4 x 12 1/2 x 13
Cubic Feet Volume Pies Cúbico	2.2	2.2
Product Number Numéro du produit Número de Producto	11600465-03	11600466-04
UPC Code Code CUP Código de UPC	0-437230309-2	0-437230309-2

Vertical Cylinder

Less heat, more power with a slimmer design for better balance and handling

Cylindre vertical

Moins d'échauffement et plus grande puissance dans un moteur plus petit, mieux équilibré et d'emploi plus facile

Cilindro Vertical

Menos calor, mayor potencia y con un diseño reducido que permite un mejor balance y manejo

Pro-Style Anti-Vibration System

Absorbs shock and reduces operator fatigue

Système anti-vibration, type professionnel

Absorption des chocs et réduction de la fatigue de l'opérateur

Sistema de Anti-Vibración Tipo Profesional

Absorbe el impacto y reduce la fatiga del operador

Advanced Air Cleaning System

Professional style for less frequent cleaning and longer engine life

Système perfectionné de purification de l'air

Type professionnel, qui réduit la fréquence des nettoyages et augmente la longévité du moteur

Sistema Avanzado de Filtración de Aire

Tipo profesional para una limpieza menos frecuente y mayor duración a la vida del motor

Bucking Spike

Allows for increased leverage and better control while cutting

Griffe d'appui

Effet de levier et meilleur contrôle lors de la coupe

Clavo Trozador

Permite un mayor apalancamiento y un mejor control al momento del corte

Flag Style Chain Brake/Hand Guard

Stops the chain in the event of kickback to help prevent injuries. Also functions as a hand guard for extra safety

Frein de chaîne/protège-main, style drapeau

Cet accessoire arrête la chaîne en cas de recul, pour protéger l'opérateur contre les risques de blessure. Ce composant fonctionne également comme protège-main, ce qui augmente la sécurité

Freno de la Cadena Estilo Bandera/Protección de la Mano

Frena la cadena cuando ocurre una reacción para ayudar a prevenir lesiones. También funciona como protección para la mano que ofrece una mayor seguridad

Hard Chrome Plated Cylinder

Cylindre à placage de chrome dur

Cilindro Con Cubierta de Cromo Resistente



Adjustable, Automatic Gear Driven Chain Oiler

Clutch activated to deliver oil to bar and chain only while chain is moving. Adjustable to meet needs of specific cutting conditions

Graisseur de chaîne automatique à engrenages

Ce dispositif activé par l'embrayage assure la lubrification du guide-chaîne et de la chaîne seulement lorsque la chaîne est en mouvement. Le système est réglable, ce qui satisfait les besoins de conditions de coupe spécifique

Lubricador Automático de la Cadena Accionado por Engranaje, Ajustable

Embrague (clutch) activado para distribuir el aceite en la barra y cadena únicamente cuando la cadena esté en movimiento. Ajustable para satisfacer las necesidades de las condiciones específicas de corte



1 YEAR LIMITED WARRANTY
AN GARANTIE LIMITÉE
AÑO GARANTÍA LIMITADA

Bars and Chains Guide-Chaine et Chaîne Barra y Cadena	Product Number Numéro du produit Número de Producto
16 Bar / Guide-chaîne / Barra	301588-33
16 Chain / Chaîne / Cadena	323218-33
18 Bar / Guide-chaîne / Barra	301590-33
18 Chain / Chaîne / Cadena	323214-33
20 Bar / Guide-chaîne / Barra	301592-33
20 Chain / Chaîne / Cadena	323216-33

ADV000240

McCulloch Canada Inc., Burlington, Ontario

McCulloch Corporation, Tucson, Arizona USA

Printed in USA / imprimé aux É.-U. / Impreso en los Estados Unidos