

**McCULLOCH®**

# TITAN 35



## TITAN 35 SPECIFICATIONS

DISPLACEMENT C.I.D. (CC)	2.1 (35)	FUEL TANK CAPACITY (FL. OZ.)	9.7
BORE AND STROKE	1.496 X 1.181	ALL POSITION CARBURETOR	YES
CYLINDER BORE	CHROME	BAR LENGTH	14" - 16"
IGNITION	ELECTRONIC	CHAIN BRAKE/HAND GUARD	YES
SPARK PLUG AC/CHAMPION	CS45T/DJ8	ANTI-VIBRATION SYSTEM	YES
DRY WEIGHT (POWER UNIT ONLY)	11.0 LBS	MUFFLER SHIELD	YES
SPROCKET TYPE	6 TOOTH .375P SPUR	SAFETY TRIGGER	YES
CHAIN TYPE	MP370GLX	THROTTLE LATCH	YES
AUTOMATIC OILER	YES	CHAIN CATCHER	YES
MANUAL OILER	NO	SPARK ARRESTOR SCREEN	YES
OIL TANK CAPACITY (FL. OZ.)	7.2		

ADV 190823

Exclusively Through Servicing Dealers

*Tomorrow's Technology  
Today*

**McCULLOCH®**

# TITAN 40™



## TITAN 40 SPECIFICATIONS

DISPLACEMENT C.I.D. (CC)	2.3 (38)	FUEL TANK CAPACITY (FL. OZ.)	9.7
BORE AND STROKE	1.575 X 1.181	ALL POSITION CARBURETOR	YES
CYLINDER BORE	CHROME	BAR LENGTH	14" - 18"
IGNITION	ELECTRONIC	CHAIN BRAKE/HAND GUARD	YES
SPARK PLUG AC/CHAMPION	CS45T/DJ8	ANTI-VIBRATION SYSTEM	YES
DRY WEIGHT (POWER UNIT ONLY)	11.1 LBS	MUFFLER SHIELD	YES
SPROCKET TYPE	6 TOOTH .375P SPUR	SAFETY TRIGGER	YES
CHAIN TYPE	MP370GLX	THROTTLE LATCH	YES
AUTOMATIC OILER	YES	CHAIN CATCHER	YES
MANUAL OILER	NO	SPARK ARRESTOR SCREEN	YES
OIL TANK CAPACITY (FL. OZ.)	7.2		

Exclusively Through Servicing Dealers

*Tomorrow's Technology  
Today*

McCULLOCH®

# TITAN®

## PROFESSIONAL GAS CHAIN SAWS



# 560

# 620



- **Replaceable Sprocket Tip or Laminated Bar** to fit individual cutting applications

- **Vertical Cylinder** less heat, more power with a slimmer design for better balance and handling

- **Pro-Style Anti-Vibration System** absorbs shock and reduces operator fatigue

- **Professional Chrome Chain** stays sharper longer

- **Flag Style Chain Brake/Hand Guard** stops the chain in the event of kickback to help prevent injuries

- **Gear Driven Adjustable, Automatic Chain Oiler** clutch activated to deliver oil to bar and chain only while chain is moving

- **Rear Mounted Handle** with foot plate/hand guard

- **Spark Arrestor Screen** reduces fire hazard

- **Safety Trigger** prevents accidental acceleration

- **Throttle Latch** advances the throttle opening for safer, easier starts

- **Chain Catcher** reduces the hazard from a chain that breaks or derails from bar

- **Bucking Spike** allows for increased leverage and better control

**1 YEAR LIMITED WARRANTY**

### LIMITED WARRANTY

McCulloch protects your TITAN® investment with one of the industry's most generous warranties:

- One year from date of original purchase when used for home, farm, or ranch purposes.
- Six months from date of original purchase when used for commercial, professional, industrial or rental purposes.


### Specifications

Product Number (P.U.O.)	UPC Code	Displacement C.I.D. (cc)	Bar Lengths	Cylinder Bore	Ignition	Spark Plug (Champion)	Sprocket Type	Chain Type	All-Position Carburetor	Oil Tank Capacity	Fuel Tank Capacity	P.U.O. Weight	
Titan 560	11600166-00	0-4572202998-4	3.4 (54)	16", 20"	Chrome	Electronic	CJ7Y	7T-375 Floating Rim	SPR 370 GLX	YES	12.32 fl. oz.	20.8 fl. oz.	13.0 lbs.
Titan 620	11600167-00	0-4572202999-1	3.7 (60)	16", 20", 24"	Chrome	Electronic	CJ7Y	7T-375 Floating Rim	SPR 370 GLX	YES	12.32 fl. oz.	20.8 fl. oz.	13.0 lbs.

**McCULLOCH®**

# TITAN®

## PROFESSIONAL GAS CHAIN SAWS



### TITAN 560


- 3.4 ci (54cc) Gas Engine
- Vertical Cylinder
- Pro-Style Anti-Vibration System
- Hard Chrome Plated Cylinder
- Gear Driven Adjustable, Automatic Chain Oiler
- Bucking Spike

**\$000.00**

### TITAN 620

- 3.7 ci (60cc) Gas Engine
- Vertical Cylinder
- Pro-Style Anti-Vibration System
- Hard Chrome Plated Cylinder
- Gear Driven Adjustable, Automatic Chain Oiler
- Bucking Spike

**\$000.00**



**TITAN®**

**TITAN®**

**TITAN®**

**TITAN®**

**TITAN®**

**TITAN®**

**TITAN®**